



NOTES:

1. IN COMMERCIAL ZONES PLANTER POCKETS AND/OR TREE WELLS MAY BE REQUIRED IN LIEU OF CONTINUOUS PLANTER STRIP AS DETERMINED BY THE CITY ENGINEER. CONSTRUCTION IN PLANTER POCKETS AND/OR TREE WELLS SUBJECT TO ENCROACHMENT PERMIT FROM THE ENGINEERING DIVISION.
2. SURFACE OF WALKS, CURBS, CURB FACES, AND GUTTERS SHALL BE TRUE AND STRAIGHT, OF UNIFORM WIDTH, AND FREE OF IRREGULARITIES. THE SURFACES SHALL NOT VARY MORE THAN 0.01 FOOT FROM THE EDGE OF A 10-FOOT LONG STRAIGHTEDGE.
3. CURB AND SIDEWALK SHALL NOT BE PLACED IN MONOLITHIC POUR. USE NO. 3 REBAR DOWELS 12" LONG @ 2'-0" CENTERS. EPOXY IF DRILLED.
4. FOR SIDEWALKS 10 FEET OR WIDER, DEEP JOINTS SHALL LINE UP WITH THE PLANTER POCKETS OR TREE WELLS.
5. COMPACT AGGREGATE SUBBASE AND AGGREGATE BASE IN THE STREET AND UNDER THE CURB TO 95% RELATIVE COMPACTION (MIN). COMPACT AGGREGATE SUBBASE AND/OR AGGREGATE BASE UNDER THE SIDEWALK TO 90% RELATIVE COMPACTION (MIN). COMPACT ALL SUBGRADE TO 90% RELATIVE COMPACTION (MIN).
6. CONCRETE SHALL BE 6 SACK.

NO.	REVISED	DATE
REVISIONS		
FILE NO.	SCALE	DRAWN
SD-04-06.DWG	1 1/2" = 1'-0"	DC
CHECKED	DATE	DWG NO.
KC	03/14/06	SD-4

CITY OF FREMONT

STANDARD DETAILS

TYPE "B" CURB, GUTTER

AND SIDEWALK

DATE APPROVED BY CITY COUNCIL	
04/11/06	
RESOLUTION NO. 2006-31	
<i>Ham Hughes</i>	
CITY ENGINEER	
DWG NO.	1 of 1