

Single-Family Residential Zoning Standards for Additions

(Standards effective for design review applications submitted on or after November 2, 2018)

This handbook provides zoning standards from the Fremont Municipal Code that may be helpful to applicants considering first and second story additions to single-family homes within base residential zoning districts. Base residential zoning districts, shown on the next page, all begin with an "R", such as "R-1-6" or "R-1-8 MR".

To determine the zoning of your residential property, visit our public GIS system at http://egis.fremont.gov/apps/public/default.htm.

What if I don't see my zoning district in the table below?

Some single-family homes may be located in a planned district, which is a zoning district that was created for a specific site. Planned districts have their own zoning information file, available on our <u>public GIS system</u>. If a standard is discussed in a planned district file, then you must follow the standard as written in the planned district file. If a standard is not discussed in a planned district file, then you can refer to the base zoning standards for the district most similar to the planned district.

What if my property also has a "PUD" designation?

PUDs, or "Planned Unit Developments" are modifications of the base zoning district. PUDs have their own information file, available on our <u>public GIS system</u>. PUD standards override base zoning district standards. If a standard is changed by a PUD file, then you must follow the standard as written in the PUD file. If a standard is not mentioned in a PUD file, then you can refer to the standard as it appears in the base zoning district.

What if I have questions?

You can contact the Planning Division at (510) 494-4455 or planinfo@fremont.gov.

R-1 and R-2 District Development Standards for Additions

Zoning District ^{1, 10} Development Standard (measurement)			R-1-6	R-1-6 Glenmoor Gardens ²	R-1-8	R-1-8 Mission Palms	R-1-8 Mission Ranch ³	R-1-10	R-1-20	R-1-40	R-2 ⁴
Minimum front yard depth (feet)			20	20	25	25	25	25	35	40	25
Minimum rear yard depth One story (feet) Two story (feet)		25	25	25	25	25	30	40	50	25	
		25	_	30	30	30	35	40	50	25	
Minimum interior side yard depth ^{6,7}	First story	Minimum (feet)	5	5	7	7	7	8	10	20	7
		Total (feet)	12	12	16	16	16	20	25	45	16
	Second story	Minimum (feet)	6	_	8	8	8	10	10	20	8
		Total (feet)	15	_	20	20	20	20	25	45	20
Minimum street side yard depth on corner lots (feet)			10	10	12.5	12.5	12.5	12.5	17.5	20	12.5
Maximum building height	Principal structure	One story (feet)	17	17 ⁸	17	178	178	17	17	17	17
		Two story (feet)	30	_	30	27 ^{8,9}	27 ^{8,9}	30	30	30	30
Maximum height above grade for finish floor level (first story over basement) ⁹ (inches)			28	28	28	28	28	28	28	28	28
, ,		Minimum	3:12	3:12	3:12	3:12	3:12	3:12	3:12	3:12	3:12
		Maximum	7:12	5:12	7:12	5:12	5:12	7:12	7:12	7:12	7:12

Zoning District ¹⁰ Development Standard (measurement)	R-1-6	R-1-6 Glenmoor Gardens ²	R-1-8	R-1-8 Mission Palms	R-1-8 Mission Ranch ³	R-1-10	R-1-20	R-1-40	R-2 ⁴
Maximum lot coverage for first story (includes garage area) (percent of lot area)	40	40	40	[Foot- note 11]	[Foot-note 12]	40	40	40	40
Maximum size of second story (or understory on a downhill lot) (as a percentage of first story area, not to exceed specified square footage) 13	50 or 1,000 sf max	_	50 or 1,250 sf max			50 or 1,500 sf max	50 or 3,000 sf max	50 or 6,000 sf max	50 or 1,000 sf max

¹ See Chapter 18.25 for the definition of terms.

² See the Glenmoor Gardens Design Guidelines.

³ See the Mission Ranch Design Guidelines.

⁴ Standards listed are for development of duplex units. Single-family residences may utilize R-1-6 standards; however, this may preclude subsequent duplex development.

⁵ Duplexes are only permitted on corner lots.

⁶ Rear and side yards may be substituted for one another, except that on a corner lot such substitution shall be made only between a rear yard and an interior side yard.

⁷ For combination one- and two-story structures, the one-story portion of the structure shall meet the one-story setback requirements and the two-story portion of the structure shall meet the two-story setback requirements. In no case shall the total side yard setback for combination one- and two-story structures be less than that required for a one-story structure only. The wider setback shall be on the two-story side.

⁸ For Glenmoor Gardens, Mission Ranch, and Mission Palms, height is measured from grade to the top of the roof ridge.

⁹ Does not apply when matching existing conditions.

¹⁰ Development standards for R-1-X districts were specified at the time of district establishment but are subject to the lot coverage and maximum second story size standards of the district closest in size to the actual lot size as well as the solar setback requirements. No new R-1-X zones are permitted.

¹¹ Lot coverage varies based upon the number of stories. A one-story home may have up to 40 percent lot coverage. The overall square footage of a two-story home is limited to 35 percent of the lot area. The square footage of the second story is limited to 60 percent of the square footage of the first story, or 1,000 square feet, whichever is less.

¹² Lot coverage varies based upon the number of stories. A one-story home may have up to 40 percent lot coverage. A two-story home is only possible if the first floor lot coverage first reaches 22 percent but does not exceed 30 percent. The overall square footage of a two-story home, however, then becomes limited to 30 percent of the lot area.


Side Yard Setback Adjustments and Exceptions

Maintaining Existing Setbacks. If you are adding to the first-story of an existing home, then you can maintain the same first-story side setbacks that legally exist for the current house for the new addition. If you are adding a second story to your existing home, the second story can maintain the same side setbacks that legally exist for the current house if a two-story home with the same condition exists on the lot next door. For both first and second floor additions, the minimum side yard setback must still be at least five feet.

For additional information, please visit www.fremont.gov/fmc and go to Title 18, Section 18.170.040.

Rear Yard Setback Adjustments and Exceptions

30% Encroachment Rule. The required rear yard is the area obtained by multiplying the required rear yard setback by the length of the rear yard lot line. Structures may encroach into the rear yard setback up to 10 feet from the lot line, provided that the structures do not cover more than 30% of the required rear yard. Note that if a property has a street side yard, then you must subtract the street side yard setback from the rear yard lot line width to calculate the required rear yard area.



The diagrams above show how the 30% encroachment rule works. The diagram on the left side shows how the required rear yard is calculated by multiplying the rear yard lot line by the rear yard setback. The diagram on the right shows a proposed addition to this property. The proposed addition, shown in dark gray, encroaches 200 sq. ft. into the required rear yard (shown in hatching on the diagram). It is also more than 10 feet from the rear property line. Per the 30% encroachment rule, 13.3% (200 sq. ft./1500 sq. ft.) of the required rear yard is covered. Since 13% is less than 30% and the addition is at least 10 feet from the rear property line, the proposed addition is permitted.

For additional information, please visit www.fremont.gov/fmc and go to Title 18, Section 18.170.050.

Architectural Projections into Required Yards

Certain architectural features may project into required yards as long as there is five feet of separation between the architectural feature and the property line or when the architectural feature is designed to comply with the building and fire code requirements, and as follows:

For projections into any required front yard, rear yard, court or required side street side yard:

- Cornices, canopies, and eaves may project a distance not exceeding two feet, six inches.
- Porches, stairways and landings may project a distance not to exceed four feet, six inches.
- An uncovered stair and landing that extends above the entrance floor of the building may project a distance not to exceed six feet, except for a railing not exceeding three feet, six inches in height.
- Bay windows, balconies and chimneys may project a distance not exceeding three feet as long as such features do not occupy more than one-third of the length of a building wall.

For any required interior side yard, the architectural features described above may project, provided:


- The projection complies with the limitations in the preceding subsection.
- The projection does not extend beyond a point one-third the distance to the property line.
- The projection is not located closer than three feet to the property line.

For additional information, please visit www.fremont.gov/fmc and go to Title 18, Section 18.170.060.

Solar Access Preservation

To ensure that neighboring properties have access to solar power, a new addition that increases the height of an existing structure must observe a setback equal to or greater than two times the difference in height between the proposed structure and any adjacent structure(s) located along northerly lot line(s).

The following are examples of the solar access preservation requirement:



For more information, see www.fremont.gov/solarpreservation.

Citywide Design Guidelines

In addition to the applicable zoning standards, all single-family residential properties in Fremont are subject to the Citywide Design Guidelines. The Citywide Design Guidelines contain important rules and guidelines related to privacy, architectural design, site design, and landscaping. It is essential that you read the Citywide Design Guidelines prior to drafting plans for a proposed addition.

Visit https://fremont.gov/DocumentCenter/View/21012/Citywide-Design-Guidelines?bidId to view the Citywide Design Guidelines.


Additionally, certain residential neighborhoods in the City are subject to area-specific design guidelines. Please visit www.fremont.gov/design to see if your project is located in a neighborhood subject to specific design guidelines.

Driveway Requirements

Individual single-family homes must generally be limited to one driveway from public or private streets.

- Driveway length: Driveways leading to individual garages shall be a minimum of 18 feet in length behind any approved sidewalk or pedestrian system.
- Driveway width: Driveways shall be a minimum of 10 feet wide for single/tandem parked cars and 18 feet for two-car-width driveways.
- Side yard buffers for single-family driveways shall generally be a minimum of six feet adjacent to perimeter property lines, in order to allow for tree and landscape growth.

You are permitted to pave the area between the existing driveway and the closest side property line adjacent to the public right-of-way for use as a parking area. The extended driveway must be set back at least three feet from the side property line at all times. The extended driveway may intrude beyond the front yard into the required side yard for a maximum length of 10 feet if a landscaped buffer is provided.



In developments with garages located at the rear of the lot, the side yard setback can be reduced to a minimum of one foot six inches, when the yard is landscaped.

For additional information, please visit www.fremont.gov/fmc and go to Title 18, Section 18.90.030.

Parking Requirements

Single-family dwellings with four or fewer bedrooms must have two covered parking spaces. Single-family dwellings with five or more bedrooms must have three covered parking spaces. The minimum dimensions of a residential parking space are 9 feet by 19 feet.

If you are constructing new bedrooms as part of an addition to your existing house, you do not need to provide additional covered parking. If you are demolishing and rebuilding your home, or removing or replacing 50% or greater of the linear length of the walls of the building (exterior plus interior) and 50% of the roof, then you need to add parking if additional parking would otherwise be required for that number of bedrooms. Any room that is completely private (enclosed) is considered a bedroom – this includes dens, offices, studies, prayer rooms, etc.

For additional information, please visit www.fremont.gov/fmc and go to Title 18, Section 18.183.

Landscaping Requirements

All yard areas shall be landscaped according to their purpose, such as ornamental landscaping, recreational space, private yard area, or storm water treatment. Landscape improvements may include trees, shrubs, flowers, groundcover, and hardscape. Front and side yard hardscape must be limited to driveways leading to parking and pedestrian walkways. Bay friendly and water efficient landscapes meeting state water efficiency standards are required. When you submit your plans for an addition, you must include landscape information sheets in your plans.

Landscaping and street trees are required for residential additions in order to diminish the impact of expanded buildings on the streetscape. A street tree is a tree located within the City right-of-way area.

For additional information, please visit www.fremont.gov/fmc and go to Title 18, Section 18.90.030. Visit https://fremont.gov/DocumentCenter/View/21012/Citywide-Design-Guidelines?bidId to view the applicable Citywide Design Guidelines. Design Rules & Guidelines 2.64 – 2.75 discuss landscaping.

For additional information about landscape plan requirements, visit <u>www.fremont.gov/LDRP</u> and view standard detail LSD-5.

Solid Waste Disposal Requirements

Weekly garbage, recycling and organics collection services are required for all residential properties, and are provided exclusively by Republic Services. Garbage and recycling carts must always be hidden from public view, except on collection days. A minimum of 27 square feet of storage space is required in the garage for garbage, recycling and organics carts. If sufficient garage space is not available, residents must have unrestricted access to the same amount of exterior storage in the side or rear yard.

For more information, view the Fremont Waste Handling Guidelines at www.fremont.gov/whg.