

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species            | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments  |
|----------|--------------------|----------------------|------------------------------------|---|
| 1        | Coast live oak     | 24                   | 3                                  | One-sided to west.  |
| 2        | Plum               | 21                   | 2                                  | Extensive twig and branch dieback.  |
| 4        | Coast live oak     | 14                   | 3                                  | Asymmetric; bows heavily to west; trunk base located outside of dripline.                       |
| 5        | Canary Island pine | 17                   | 3                                  | Replaced leader; good vigor.  |
| 6        | Coast live oak     | 15                   | 3                                  | Asymmetric; bows heavily to east; trunk base located outside of dripline.                       |
| 7        | Coast live oak     | 20                   | 4                                  | Multiple attachments at 9'; full crown.   |
| 8        | Coast live oak     | 11                   | 3                                  | Asymmetric; bows heavily to east; trunk base located outside of dripline.                       |
| 9        | Coast live oak     | 18                   | 4                                  | Multiple attachments at 15'; full crown; Ehrhorn scale.   |
| 10       | Mt. Atlas pistache | 6,6,5,5,4,4          | 3                                  | Rodent damage; multiple trunks arise at ground level.   |
| 11       | Mt. Atlas pistache | 6,6,5,5,4,5          | 3                                  | Rodent damage; multiple trunks arise at ground level.   |
| 12       | Coast live oak     | 21                   | 3                                  | Codominant trunks arise at 1'; very narrow attachment; crown asymmetric to north.               |
| 13       | Plum               | 9                    | 3                                  | Crown one sided to south.   |
| 14       | Mexican fan palm   | 21                   | 4                                  | 80' brown trunk.  |
| 15       | Southern magnolia  | 36                   | 3                                  | Multiple stems arise at 3'; cavity at base with small opening on W.; wide crown; somewhat thin. |
| 16       | Southern magnolia  | 32                   | 1                                  | 3 trunks; extensive basal decay; declining; very thin.  |
| 17       | Olive              | 9                    | 3                                  | Poor form and structure; thin crown; bowed trunk; twig dieback.                                 |
| 18       | Olive              | 14                   | 2                                  | Extensive dieback; poor form; crown to north.   |
| 22       | Southern magnolia  | 32                   | 3                                  | Multiple attachments at 3'; thin.   |
| 23       | Bald cypress       | 9                    | 5                                  | Excellent health and structure.   |
| 24       | Southern magnolia  | 27                   | 4                                  | Multiple attachments at 2'; full crown; minor decay.  |
| 25       | Coast live oak     | 11                   | 3                                  | Suppressed form; narrow attachment at 4'.   |
| 27       | Deodar cedar       | 43                   | 4                                  | Low laterals sweep upright at 5'; center stem has narrow codominant attachment at 25'; cable?   |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species             | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments   |
|----------|---------------------|----------------------|------------------------------------|--|
| 28       | Coast live oak      | 10                   | 4                                  | High<br>Good young tree; multiple attachments at 3'.   |
| 29       | London plane        | 18                   | 3                                  | Moderate<br>Suppressed form to west; twig dieback; sycamore scale; cabled to telephone pole.                     |
| 30       | Olive               | 34                   | 3                                  | Low<br>Multiple attachments at 4'; bee hive in center of attachments; upright laterals bow to outside of center. |
| 31       | Olive               | 27                   | 3                                  | Low<br>Suppressed crown bows to east; codominant at 5'.  |
| 32       | Olive               | 33                   | 3                                  | Low<br>Codominant at 5'; upright stem to west has ext. decay; crown is separating.                               |
| 33       | Olive               | 23                   | 3                                  | Low<br>Small crown bows to south; poor form and structure.   |
| 34       | Glossy privet       | 7                    | 3                                  | Moderate<br>High crown; multiple attachments at 8'.  |
| 35       | Glossy privet       | 10                   | 2                                  | Low<br>Crossing branches; poor form and structure.   |
| 36       | Olive               | 37                   | 4                                  | Moderate<br>Multiple attachments at 5'; full but thin crown.   |
| 37       | Bunya-bunya         | 55                   | 4                                  | High<br>Slight lean south; minor deadwood.   |
| 38       | American elm        | 43                   | 2                                  | Low<br>3 trunks arising at ground level; sulfur fungus; history of branch failure.                               |
| 39       | American elm        | 14                   | 1                                  | Low<br>Heavy bow to east; all but dead.  |
| 40       | American elm        | 14                   | 2                                  | Low<br>Heavy bow to east; thin crown.  |
| 41       | American elm        | 14                   | 2                                  | Low<br>Upright form; thin crown.   |
| 42       | American elm        | 12                   | 2                                  | Low<br>Bows to west.   |
| 43       | American elm        | 9                    | 2                                  | Low<br>Bows to south.  |
| 44       | American elm        | 22                   | 3                                  | Moderate<br>Codominant at base; smaller stem could be removed; thin crown.                                       |
| 45       | American elm        | 32                   | 2                                  | Low<br>Multiple attachments at 2' with narrow attachment; high thin crown.                                       |
| 46       | American elm        | 20                   | 2                                  | Low<br>Crown bows east; thin crown.  |
| 47       | Norfolk Island pine | 6                    | 3                                  | Moderate<br>Corrected form.  |
| 48       | Olive               | 20                   | 2                                  | Low<br>Suppressed crown to west; thin crown.   |
| 49       | Olive               | 30                   | 2                                  | Low<br>Suppressed to west; multiple attachments at base.   |
| 50       | Plum                | 11                   | 3                                  | Moderate<br>Suppressed form.   |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species            | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments |   |
|----------|--------------------|----------------------|------------------------------------|----------|---|
| 51       | Deodar cedar       | 48                   | 3                                  | Moderate | 5 trunks; flat top; multiple attachments at 2'; no central leader.  |
| 52       | Coast live oak     | 18                   | 4                                  | High     | Wide codominant attachment at 7'.   |
| 53       | Mt. Atlas pistache | 23                   | 3                                  | Low      | Codominant at 3'; suppressed form; twig and branch dieback.   |
| 54       | Olive              | 6                    | 3                                  | Moderate | Good vigor; suppressed.   |
| 55       | Olive              | 6                    | 2                                  | Low      | Thin crown; suppressed; twig dieback.   |
| 56       | Olive              | 6                    | 1                                  | Low      | Twig and branch dieback.  |
| 57       | Olive              | 8                    | 2                                  | Low      | Crown bows to south; suppressed; twig dieback.  |
| 58       | Portugal laurel    | 40                   | 4                                  | High     | Codominant trunks arise H77at 1'; stem to east seems to separating from canopy; full beautiful crown.                         |
| 59       | Persimmon          | 17                   | 3                                  | Low      | Multiple trunks arise from ground level; suppressed form to south; male.  |
| 60       | Persimmon          | 12                   | 3                                  | Low      | 3 trunks arise from ground level; suppressed form to south; female.   |
| 61       | Prickly melaleuca  | 59                   | 2                                  | Low      | Multiple attachments at base; history of branch failure; heavy long lateral limb to south has crack; poor form and structure. |
| 62       | Prickly melaleuca  | 55                   | 2                                  | Low      | Stem to east has large area of decay with heavy weight to east; upright stem has on form.                                     |
| 63       | Deodar cedar       | 25                   | 3                                  | Moderate | Good upright form; replaced leader.   |
| 64       | Coast live oak     | 6                    | 4                                  | High     | Good young tree.  |
| 65       | Mt. Atlas pistache | 32                   | 3                                  | Moderate | Codominant at base; cracked branch; clean crown.  |
| 66       | Olive              | 12                   | 2                                  | Low      | Suppressed form; very thin crown.   |
| 67       | Olive              | 7                    | 2                                  | Low      | Poor form; suppressed to west.  |
| 68       | Olive              | 6                    | 2                                  | Low      | Base outside dripline; poor form and structure.   |
| 69       | Olive              | 8                    | 2                                  | Low      | Base outside dripline; poor form and structure.   |
| 70       | Olive              | 9                    | 3                                  | Low      | Good vigor; crown suppressed to south.  |
| 71       | Montezuma cypress  | 9                    | 5                                  | High     | Excellent health and structure.   |
| 72       | Floss silk tree    | 12                   | 4                                  | High     | Girdling root; high small crown.  |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species                 | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments |   |
|----------|-------------------------|----------------------|------------------------------------|----------|---|
| 74       | Chinese juniper         | 7                    | 4                                  | High     | 8' tall with foliage to the ground; opening pruned in canopy with bench inside. |
| 75       | Canary Island date palm | 22                   | 4                                  | High     | 3' brown trunk; good health; crowded.   |
| 76       | Canary Island date palm | 30                   | 4                                  | High     | 3' brown trunk; good health; crowded.   |
| 77       | Cockspur hawthorn       | 26                   | 3                                  | Moderate | Multiple attachments at 2'; twig and branch dieback; 2" thorns on old wood.     |
| 78       | Canary Island date palm | 45                   | 5                                  | High     | 20' brown trunk.  |
| 80       | California pepper       | 19                   | 4                                  | High     | Codominant at 5'; nice crown.   |
| 81       | Olive                   | 9                    | 4                                  | High     | Crown corrected to west; otherwise good crown                                   |
| 82       | Guadalupe cypress       | 9                    | 5                                  | High     | Excellent form and structure; full dense crown.                                 |
| 83       | Deodar cedar            | 21                   | 4                                  | High     | Good form and structure; history of branch failure; hanger and cracked branch.  |
| 84       | Dawn redwood            | 25                   | 5                                  | High     | Excellent health and structure.   |
| 85       | Apple                   | 6                    | 2                                  | Low      | Sap sucker damage; twig dieback; decay in stem to east; wilted.                 |
| 86       | Myoporum                | 19                   | 3                                  | Low      | Multiple attachments at 6'; extensive thrips damage.                            |
| 87       | Apple                   | 6                    | 2                                  | Low      | Extensive dieback; multiple attachments at 8'.                                  |
| 88       | Plum                    | 20                   | 2                                  | Low      | Codominant at base is cracked; extensive sprouts.                               |
| 90       | Red horsechestnut       | 21                   | 3                                  | Moderate | Codominant at base; twig dieback.   |
| 91       | Persimmon               | 23                   | 3                                  | Low      | Multiple attachments at base; twig and branch dieback.                          |
| 92       | Saucer magnolia         | 15                   | 3                                  | Moderate | Codominant at 1'; dieback on east side of crown.                                |
| 93       | Canary Island date palm | 38                   | 2                                  | High     | 60' brown trunk; trunk narrows at 18'; nesting holes in trunk.                  |
| 94       | Canary Island date palm | 37                   | 5                                  | High     | 60' brown trunk.  |
| 95       | Purple-leaf acacia      | 9                    | 4                                  | Moderate | Good health and structure; full crown.  |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species                 | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments  |
|----------|-------------------------|----------------------|------------------------------------|---|
| 96       | Canary Island date palm | 33                   | 3                                  | High<br>50' brown trunk; trunk narrows at 20'.  |
| 97       | Coral tree              | 13                   | 3                                  | Low<br>Multiple stems arise at 1'; shrubby form.  |
| 98       | Cape chestnut           | 6                    | 4                                  | g<br>Multiple attachments at 6'; good young tree.   |
| 99       | Kohuhu                  | 16                   | 2                                  | Low<br>Multiple stems arise at 4'; very thin; poor color.   |
| 100      | Canary Island date palm | 13                   | 4                                  | High<br>Good health; crowded.   |
| 101      | Deodar cedar            | 29                   | 4                                  | Moderate<br>Dead top; basal decay suspected; crack at old trunk wound.                                  |
| 102      | Coast live oak          | 31                   | 5                                  | High<br>Codominant trunks with included bark; full dense crown; minor sap sucker damage; Ehrhorn scale. |
| 104      | Coast live oak          | 8                    | 5                                  | High<br>Good young tree.  |
| 106      | Coast live oak          | 9                    | 3                                  | Low<br>Codominant at base; suppressed heavily to south.   |
| 107      | Coast live oak          | 25                   | 3                                  | Moderate<br>Cracked codominant attachment at 12'; bolt and cable; otherwise good tree.                  |
| 108      | Mayten                  | 12                   | 3                                  | Moderate<br>Good tree; but suppressed; multiple attachments at 5'.                                      |
| 109      | Holly oak               | 6                    | 2                                  | Low<br>High narrow crown; poor form.  |
| 110      | Plum                    | 10                   | 3                                  | Low<br>Poor branch structure.   |
| 111      | Plum                    | 14                   | 2                                  | Low<br>Decay on upright stems.  |
| 112      | Cotoneaster             | 10                   | 3                                  | Low<br>Shrub; multiple attachments at base.   |
| 113      | Plum                    | 7                    | 3                                  | Low<br>Multiple attachments at 1' with included bark.   |
| 114      | Coast live oak          | 11                   | 4                                  | Moderate<br>Ok form; crowded; leaf spot.  |
| 115      | Olive                   | 9                    | 1                                  | Low<br>Minimal leaves.  |
| 116      | Coast live oak          | 17                   | 3                                  | Low<br>Multiple attachments at base with seam below attachment.   |
| 117      | Compact blue gum        | 113                  | 3                                  | Low<br>Extensive basal decay; healthy crown; tortoise beetle damage; 75% of circumference dead.         |
| 118      | Coast live oak          | 8                    | 3                                  | Low<br>Codominant at 5'; leans against fence; crowded.  |
| 119      | Glossy privet           | 6                    | 3                                  | Low<br>High narrow crown; codominant at base.   |
| 120      | Glossy privet           | 5                    | 3                                  | Low<br>High narrow crown.   |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species                | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments   |
|----------|------------------------|----------------------|------------------------------------|--|
| 121      | Glossy privet          | 9                    | 3                                  | Low High narrow crown; codominant at base.                           |
| 122      | Portugal laurel        | 25                   | 3                                  | Low Multiple attachments at base; crowded.                           |
| 123      | Glossy privet          | 6                    | 3                                  | Low High narrow crown; codominant at base.                           |
| 124      | Glossy privet          | 6                    | 3                                  | Low High narrow crown.   |
| 125      | Glossy privet          | 6                    | 3                                  | Low High narrow crown; codominant at base.                           |
| 126      | Coast live oak         | 9                    | 2                                  | Low Crown bows to east; poor form; twig dieback.                     |
| 127      | Deodar cedar           | 34                   | 4                                  | High Excellent form and structure; history of branch failure.        |
| 128      | Carolina cherry laurel | 8                    | 2                                  | Low Extensive twig and branch dieback.                               |
| 129      | Glossy privet          | 8                    | 2                                  | Low High narrow crown; poor form.                                    |
| 130      | Plum                   | 18                   | 2                                  | Low Multiple attachments at base; twig and branch dieback.           |
| 131      | American elm           | 17                   | 3                                  | Moderate Crooked form; thin crown.                                   |
| 132      | Yew                    | 25                   | 3                                  | Moderate Multiple attachments at base; open grown; epicormic growth. |
| 133      | English laurel         | 12                   | 3                                  | Moderate Twig and branch dieback; prune deadwood.                    |
| 134      | American elm           | 7                    | 5                                  | High Excellent upright form; good young tree.                        |
| 135      | Japanese maple         | 10                   | 4                                  | Moderate Codominant at base; minor twig dieback.                     |
| 136      | Japanese maple         | 7                    | 3                                  | Moderate Codominant at 6'; close to building                         |
| 137      | Cabbage palm           | 25                   | 3                                  | Moderate Multiple attachments at base; close to building.            |
| 138      | Coast live oak         | 8                    | 3                                  | Moderate Codominant at base; suppressed form.                        |
| 139      | Pindo palm             | 23                   | 5                                  | High 3' brown trunk; good young tree.                                |
| 140      | Pindo palm             | 19                   | 4                                  | High 3' brown trunk; slightly off color                              |
| 141      | Olive                  | 23                   | 3                                  | Moderate Crown with dieback bows to east.                            |
| 142      | Italian cypress        | 20                   | 5                                  | High Excellent health and structure; not typical form                |
| 143      | Yew                    | 28                   | 4                                  | High Multiple attachments at base; open grown.                       |
| 144      | Plum                   | 13                   | 3                                  | Low Multiple attachments at 5'; twig and branch dieback.             |
| 145      | Plum                   | 26                   | 3                                  | Low Poor form and structure.   |
| 146      | Queensland bottle tree | 19                   | 3                                  | Low Girdling roots; curved trunk.                                    |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species                 | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments  |
|----------|-------------------------|----------------------|------------------------------------|---|
| 147      | Purpleleaf plum         | 12                   | 4                                  | Moderate<br>Good health; poor branching structure.  |
| 148      | Plum                    | 15                   | 3                                  | Low<br>Poor form and structure.   |
| 149      | Japanese maple          | 16                   | 4                                  | High<br>Good young tree; crowded.   |
| 150      | Ginkgo                  | 12                   | 3                                  | Moderate<br>Codominant stems at 9'; narrow upright form.  |
| 151      | Yew                     | 15                   | 4                                  | High<br>Multiple attachments at 6-8'; full crown; narrow form.  |
| 152      | Australian brush cherry | 28                   | 3                                  | Moderate<br>Multiple trunks arising at ground level; narrow form; decay in trunks.                                  |
| 153      | Australian brush cherry | 39                   | 3                                  | Moderate<br>Multiple trunks arising at ground level; narrow form; distorted crown.                                  |
| 154      | Australian brush cherry | 24                   | 4                                  | High<br>Codominant at 1.5'; full crown; small branch dieback.   |
| 155      | Australian brush cherry | 13                   | 4                                  | High<br>Suppressed crown on northwest; minor branch dieback.  |
| 157      | Blue gum                | 31                   | 4                                  | High<br>Good form; high crown; moderate lean to southeast; multiple branch attachments at 25'.                      |
| 158      | Olive                   | 16                   | 2                                  | Low<br>Severe trunk decay; decay in 16" stem; asymmetric form.  |
| 159      | Glossy privet           | 18                   | 3                                  | Moderate<br>Codominant at 2'; narrow form; included bark between attachments.                                       |
| 160      | Olive                   | 19                   | 1                                  | Low<br>Poor form and structure; severe dieback.   |
| 161      | Black locust            | 25                   | 2                                  | Low<br>Multiple attachments; thin crown; decay in trunk; included bark between attachments; branch dieback.         |
| 162      | American elm            | 31                   | 3                                  | Moderate<br>Codominant at 3'; thin crown, but tree still leafing out; branch failures.                              |
| 163      | Monterey pine           | 8                    | 3                                  | Moderate<br>Bonsai form; full crown; trunk parallels ground, root failure.  |
| 164      | Crabapple               | 6                    | 2                                  | Low<br>Root ball lose; poor form; branch dieback.   |
| 165      | Canary Island date palm | 21                   | 5                                  | High<br>50' brown trunk height; full crown.   |
| 166      | Canary Island date palm | 30                   | 3                                  | Moderate<br>50' brown trunk height; smaller crown; monitor for Fusarium wilt disease; suspect decay in upper trunk. |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species                 | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments   |
|----------|-------------------------|----------------------|------------------------------------|--|
| 167      | Canary Island date palm | 24                   | 5                                  | High<br>3' brown trunk height; full crown; seedling.   |
| 168      | Blue atlas cedar        | 31                   | 4                                  | High<br>Good form; crown somewhat thin; small branch dieback; several branches removed on southeast. |
| 170      | Glossy privet           | 25                   | 3                                  | Moderate<br>Multiple attachments at 1-4'; thin crown; branch dieback.                                |
| 171      | Deodar cedar            | 35                   | 3                                  | Moderate<br>Good form; open form; thin crown.  |
| 172      | Incense cedar           | 16,10                | 3                                  | Moderate<br>Codominant trunks at 1'; slight lean SW.   |
| 173      | Floss silk tree         | 8                    | 3                                  | Moderate<br>One sided S.   |
| 174      | Canary Island juniper   | 9,8,8                | 4                                  | Moderate<br>Multiple attachments at 4'; minor dieback.   |
| 175      | Mexican fan palm        | 22                   | 5                                  | High<br>60' of brown trunk.  |
| 176      | Canary Island juniper   | 8,6                  | 3                                  | Moderate<br>Dieback in upper crown.  |
| 177      | Hollywood juniper       | 8                    | 3                                  | Moderate<br>Slight lean E.; lateral S.   |
| 178      | Canary Island pine      | 23                   | 4                                  | High<br>Good form; long laterals S. & W.   |
| 179      | Canary Island pine      | 18                   | 3                                  | Moderate<br>Crook at 30'; thinning crown.  |
| 180      | Yew                     | 11                   | 3                                  | Moderate<br>Trunk wounds; fair structure.  |
| 181      | Catalina cherry         | 7                    | 4                                  | Moderate<br>Trunk wound N.; full canopy.   |
| 182      | Blackwood acacia        | 16                   | 3                                  | Moderate<br>Slight lean SW.; trunk wounds.   |
| 183      | Floss silk tree         | 8                    | 4                                  | Moderate<br>Good form; thin canopy.  |
| 184      | Olive                   | 8,6,6                | 4                                  | High<br>Multiple attachments at 2'; good form; 9" stem bowed SE.                                     |
| 185      | Incense cedar           | 23                   | 4                                  | Moderate<br>Leans S.; top turns upright; full crown.   |
| 186      | Canary Island date palm | 21                   | 5                                  | High<br>45' of brown trunk; good form and structure.   |
| 187      | Windmill palm           | 6                    | 3                                  | Moderate<br>15' of brown trunk; penciling at 10'.  |
| 188      | Olive                   | 6,4                  | 3                                  | Moderate<br>Codominant trunks at 4'; fair structure.   |
| 189      | Windmill palm           | 6                    | 4                                  | Moderate<br>15' of brown trunk; good form.   |
| 190      | Windmill palm           | 6                    | 4                                  | Moderate<br>15' of brown trunk; good form.   |



# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species                 | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments   |
|----------|-------------------------|----------------------|------------------------------------|--|
| 191      | California pepper       | 18                   | 3                                  | Moderate Thin crown; multiple attachments at 2'.   |
| 192      | California pepper       | 22                   | 3                                  | Moderate Thin crown; multiple attachments at 2'.   |
| 193      | Guadalupe cypress       | 10                   | 4                                  | High Good form and structure; slight curve in trunk.   |
| 194      | Peach                   | 8                    | 2                                  | Low Extensive dieback; poor structure.   |
| 195      | Mayten                  | 9                    | 3                                  | Low Multiple attachments at 5'; twig dieback; broken upright stem.   |
| 196      | Flaxleaf paperbark      | 15                   | 4                                  | High Multiple attachments at 7'; low branch at 5'; full dense crown.   |
| 197      | Flaxleaf paperbark      | 17                   | 4                                  | High Multiple attachments at 6'; full dense crown.   |
| 198      | Windmill palm           | 8                    | 4                                  | High 10' brown trunk; narrow base.   |
| 199      | Mexican fan palm        | 16                   | 5                                  | High 70' brown trunk; excellent form and structure.  |
| 200      | Canary Island date palm | 19                   | 5                                  | High 2' brown trunk height; full crown; in raised boxed.   |
| 201      | Windmill palm           | 7                    | 4                                  | High 20' brown trunk; corrected form.  |
| 202      | Windmill palm           | 7                    | 4                                  | High 30' brown trunk; corrected form.  |
| 203      | California buckeye      | 11                   | 4                                  | High Low branching; low crown; good young tree.  |
| 204      | Algerian fir            | 24                   | 4                                  | High Crooked form; replaced leader; seam on trunk 2.5' long on SW.   |
| 205      | Glossy privet           | 26                   | 3                                  | Moderate Multiple attachments at 3'; good form; trunk decay.   |
| 206      | Chinese photinia        | 32                   | 4                                  | High Multiple attachments at ground; good form; trunk decay.   |
| 207      | Camperdown elm          | 16                   | 3                                  | Moderate Unique distorted form; asymmetric crown; branch failures.   |
| 208      | California pepper       | 26                   | 3                                  | Moderate Asymmetric form; full crown leans west.   |
| 209      | Spanish dagger          | 40                   | 4                                  | High Multiple attachments at 1'; full dense crown; old boxed specimen rooted above ground.   |
| 210      | China doll              | 14                   | 3                                  | Moderate Good form; trunk sweeps east; large surface roots; girdling roots.  |
| 211      | Incense cedar           | 41                   | 3                                  | Low Good form; multiple large branch failures; one recent large branch failure; include bark between attachments; prune and cable to reduce future failures. |
| 212      | Deodar cedar            | 23                   | 3                                  | Moderate Good form; codominant at 35'; crown somewhat open on west.  |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species            | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent |          | Comments  |
|----------|--------------------|----------------------|------------------------------------|----------|---|
| 213      | Deodar cedar       | 31                   | 4                                  | High     | Good form; crown somewhat open on east; branch failures to 6"; broken branches to 6" still attached in crown. |
| 214      | Deodar cedar       | 33                   | 4                                  | High     | Good form; crown somewhat open on east; branch failures to 6".  |
| 215      | Coast live oak     | 7                    | 4                                  | High     | Good young tree.  |
| 216      | Aleppo pine        | 29                   | 2                                  | Low      | Severe decline; thin crown; branch dieback; trunk leans southeast.  |
| 218      | Japanese cedar     | 11                   | 3                                  | Moderate | Narrow form; small branch dieback.  |
| 219      | Japanese cedar     | 9                    | 3                                  | Moderate | Narrow form; small branch dieback.  |
| 220      | Japanese cedar     | 16                   | 4                                  | High     | Good form and structure; full crown; minor branch dieback.  |
| 221      | Canary Island pine | 19                   | 3                                  | Moderate | Tall narrow form; suppressed crown on northwest.  |
| 222      | Canary Island pine | 21                   | 3                                  | Moderate | Tall narrow form; suppressed crown on southeast; minor branch dieback.  |
| 223      | Canary Island pine | 18                   | 3                                  | Moderate | Tall narrow form; high crown; branch dieback.   |
| 224      | Canary Island pine | 13                   | 1                                  | Low      | Poor form and structure; trunk with severe bow to northwest.  |
| 226      | Canary Island pine | 12                   | 1                                  | Low      | Poor form and structure; trunk with severe bow to north.  |
| 227      | Canary Island pine | 12                   | 1                                  | Low      | Poor form and structure; trunk with severe bow to north.  |
| 228      | Deodar cedar       | 19                   | 3                                  | Moderate | Good form; thin crown; lost top.  |
| 229      | Deodar cedar       | 14                   | 1                                  | Low      | Poor form and structure; trunk with severe bow to southeast.  |
| 230      | Deodar cedar       | 19                   | 2                                  | Low      | Poor form; thin crown; branch failures.   |
| 231      | Deodar cedar       | 25                   | 3                                  | Moderate | Trunk and crown leans south; heavy weight on south side of crown needs to be reduced; ivy on trunk.           |
| 232      | Glossy privet      | 24                   | 2                                  | Low      | Multiple attachments at 1'; narrow form; included bark in attachments; wire embedded in trunk.                |
| 233      | Glossy privet      | 8                    | 3                                  | Moderate | Multiple attachments at 1'; narrow form; included bark in attachments; hose bib at base of trunk .            |
| 234      | Mt. Atlas pistache | 26                   | 3                                  | Moderate | Crown somewhat thin; crown leans north towards Niles Blvd.; large branch failure on south.                    |
| 235      | Coast live oak     | 7                    | 4                                  | High     | Good young tree; trunk with minor bow.  |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species                 | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments   |
|----------|-------------------------|----------------------|------------------------------------|--|
| 236      | Coast live oak          | 5                    | 3                                  | Moderate<br>Trunk leans north.   |
| 237      | Glossy privet           | 35                   | 3                                  | Low<br>Multiple attachments at 1'; narrow form; included bark in attachments; pipe embedded in trunk.  |
| 238      | Glossy privet           | 50                   | 2                                  | Low<br>Multiple attachments at 1'; narrow form; included bark in attachment; chain link fabric embedded in trunk.  |
| 239      | Glossy privet           | 34                   | 3                                  | Low<br>Multiple attachments at 1'; narrow form; included bark in attachment; chain link fabric embedded in trunk.  |
| 240      | Silver dollar gum       | 35                   | 4                                  | Moderate<br>Multiple attachments at 3'; good form; crown leans west.   |
| 241      | Glossy privet           | 12                   | 3                                  | Low<br>Multiple attachments at ground; narrow form; included bark in attachment.   |
| 242      | Deodar cedar            | 7                    | 2                                  | Low<br>Severe decline; thin crown.   |
| 243      | Bunya-bunya             | 16                   | 3                                  | Moderate<br>Good form; thin crown; girdling roots; old boxed specimen rooted above ground; staking tie embedded in trunk at 10'.   |
| 244      | Mt. Atlas pistache      | 34                   | 2                                  | Low<br>Severe decline; branch dieback; decay in trunk below main attachments.  |
| 245      | Olive                   | 12                   | 3                                  | Moderate<br>Crown somewhat suppressed; codominant at 9'; branch dieback.   |
| 246      | Burr oak                | 34                   | 4                                  | High<br>Multiple attachments at 5; good form; full crown; broad spreading crown.   |
| 247      | California black walnut | 51                   | 4                                  | High<br>Massive crown; multiple attachments at 6'; heavy lateral on southeast; branch dieback.   |
| 248      | Catalina ironwood       | 31                   | 1                                  | Low<br>Almost dead.  |
| 249      | Glossy privet           | 35                   | 2                                  | Low<br>Multiple attachments at 3'; narrow open form; included bark in attachment.  |
| 250      | Coast live oak          | 47                   | 4                                  | Moderate<br>Massive crown; tree has significant lean to southwest; most of crown is southwest of the trunk; prune to reduce weight and prop tree for supplemental support. |
| 251      | Canary Island pine      | 43                   | 4                                  | High<br>Massive tree; good form; somewhat open crown; several branch failures. Landmark tree.  |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species                 | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments   |
|----------|-------------------------|----------------------|------------------------------------|--|
| 252      | Queensland kauri        | 12                   | 3                                  | Moderate High crown; thin; sparse branches; narrow form; codominant at 14'.            |
| 253      | Canary Island date palm | 43                   | 5                                  | High 45' brown trunk height; full crown.   |
| 254      | Swamp mahogany          | 31                   | 4                                  | Moderate Good form; codominant at 6'; included bark between main attachments.          |
| 255      | Canary Island date palm | 27                   | 5                                  | High 35' brown trunk height; full crown; near #261                                     |
| 256      | Canary Island date palm | 34                   | 4                                  | High 35' brown trunk height; full crown; trunk somewhat seeps to east.                 |
| 257      | Bald cypress            | 27                   | 4                                  | High Good form and structure; full crown; nice specimen.                               |
| 258      | White ironbark          | 38                   | 1                                  | Low Poor form; branch dieback; branch failures; basal decay.                           |
| 259      | White ironbark          | 46                   | 3                                  | Moderate Poor form; branch dieback; large branch failures; attached to #260 at base.   |
| 260      | White ironbark          | 38                   | 3                                  | Moderate Poor form; branch dieback; branch failures; attached to #259 at base.         |
| 261      | Canary Island date palm | 31                   | 5                                  | High 40' brown trunk height; near #255.  |
| 262      | Canary Island date palm | 33                   | 5                                  | High 7' brown trunk height.  |
| 263      | Sawleaf zelkova         | 42                   | 4                                  | High Multiple attachments at 4' with included bark; good form; broad spreading crown.  |
| 264      | Silk oak                | 30                   | 2                                  | Low Misshapen, flat crown on north; branch failures; poor structure.                   |
| 265      | Queen palm              | 9                    | 2                                  | Low 22' brown trunk height; small crown; multiple trunk wounds with decay.             |
| 266      | Blue atlas cedar        | 14                   | 3                                  | Moderate Full crown; good form; large kinked roots; boxed specimen rooted above ground |
| 267      | Canary Island date palm | 31                   | 5                                  | High 1' brown trunk height; full crown.  |
| 268      | Mt. Atlas pistache      | 6                    | 3                                  | Moderate Suppressed form; tree leans west.   |
| 269      | Fig                     | 12                   | 3                                  | Moderate Good form; trunk divides at 1'; full crown.                                   |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species                 | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments |   |
|----------|-------------------------|----------------------|------------------------------------|----------|---|
| 270      | Canary Island date palm | 50                   | 4                                  | High     | 60' brown trunk height; full crown; cluster of palms.                           |
| 271      | Canary Island date palm | 36                   | 4                                  | High     | 40' brown trunk height; full crown; cluster of palms.                           |
| 272      | Canary Island date palm | 36                   | 4                                  | High     | 40' brown trunk height; full crown; cluster of palms.                           |
| 273      | Canary Island date palm | 39                   | 4                                  | High     | 35' brown trunk height; full crown; cluster of palms.                           |
| 274      | Canary Island date palm | 38                   | 4                                  | High     | 40' brown trunk height; full crown; bend in trunk at 20".                       |
| 275      | Canary Island date palm | 45                   | 5                                  | High     | 40' brown trunk height; full crown.   |
| 276      | Canary Island date palm | 44                   | 5                                  | High     | 43' brown trunk height; full crown.   |
| 277      | Canary Island date palm | 31                   | 4                                  | High     | 33' brown trunk height; full crown; cluster of palms.                           |
| 278      | Canary Island date palm | 33                   | 4                                  | High     | 35' brown trunk height; full crown; cluster of palms.                           |
| 279      | Canary Island date palm | 30                   | 4                                  | High     | 28' brown trunk height; full crown; cluster of palms.                           |
| 280      | Glossy privet           | 11                   | 4                                  | Moderate | Multiple attachments at 3' with included bark; narrow form.                     |
| 281      | Fremont cottonwood      | 80                   | 2                                  | Low      | Thin crown; decay in trunk; branch dieback in crown; top 50% of one trunk dead. |
| 282      | Siberian elm            | 39                   | 4                                  | Moderate | Codominant at 2'; spreading crown; branch failures.                             |
| 283      | Glossy privet           | 17                   | 3                                  | Moderate | Multiple attachments at 3' with included bark; narrow form; branch dieback.     |
| 284      | Canary Island date palm | 38                   | 4                                  | High     | 35' brown trunk height; full crown.   |
| 285      | Black locust            | 9                    | 4                                  | Moderate | Good young tree; central leader form.   |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species                 | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments |   |
|----------|-------------------------|----------------------|------------------------------------|----------|---|
| 286      | Canary Island date palm | 32                   | 4                                  | High     | 20' brown trunk height; full crown; cluster of palms.   |
| 287      | Canary Island date palm | 40                   | 4                                  | High     | 40' brown trunk height; full crown; cluster of palms.   |
| 288      | Canary Island date palm | 28                   | 4                                  | High     | 25' brown trunk height; full crown; cluster of palms.   |
| 289      | Canary Island date palm | 27                   | 4                                  | High     | 30' brown trunk height; full crown; cluster of palms.   |
| 290      | Canary Island date palm | 38                   | 4                                  | High     | 35' brown trunk height; full crown; cluster of palms.   |
| 291      | Canary Island date palm | 44                   | 4                                  | High     | 18' brown trunk height; full crown; cluster of palms.   |
| 292      | Lombardy poplar         | 48                   | 2                                  | Low      | Over mature; thin crown; decay in trunk; branch dieback.  |
| 293      | Canary Island date palm | 51                   | 4                                  | High     | 30' brown trunk height; full crown; ivy on trunk.   |
| 294      | Siberian elm            | 47                   | 4                                  | High     | Good form; full crown; branch failures.   |
| 295      | Canary Island date palm | 37                   | 4                                  | High     | 50' brown trunk height; full crown; ivy on trunk.   |
| 296      | Canary Island date palm | 38                   | 4                                  | High     | 50' brown trunk height; full crown; cluster of palms.   |
| 297      | Canary Island date palm | 32                   | 4                                  | High     | 30' brown trunk height; full crown; cluster of palms.   |
| 298      | Canary Island date palm | 26                   | 4                                  | High     | 5' brown trunk height; full crown; cluster of palms.  |
| 299      | Canary Island date palm | 38                   | 4                                  | High     | 35' brown trunk height; full crown.   |
| 300      | Canary Island date palm | 30                   | 4                                  | High     | 30' brown trunk height; full crown; with cluster of 4 small palms $\approx$ 105" diameter taken together. |
| 301      | Canary Island date palm | 32                   | 3                                  | Moderate | Brown trunk height 50'; round-headed.   |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species                 | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments   |
|----------|-------------------------|----------------------|------------------------------------|--|
| 302      | Canary Island date palm | 45                   | 4                                  | High<br>Brown trunk height 50'; full crown.  |
| 303      | Canary Island date palm | 44                   | 3                                  | Moderate<br>Brown trunk height 50'; round-headed.  |
| 304      | Coast live oak          | 13                   | 2                                  | Low<br>Multiple attachments at 2'; bark wounds; ivy on trunk.                                |
| 305      | Coast live oak          | 7,2                  | 2                                  | Low<br>Codominant at base; upright stems; crowded by adjacent trees.                         |
| 306      | Coast live oak          | 7,6                  | 2                                  | Low<br>Codominant at base; two upright stems.  |
| 307      | Siberian elm            | 19,19                | 2                                  | Low<br>Multiple attachments at base; basal cavities; topped.                                 |
| 308      | Pecan                   | 24,20,18             | 3                                  | Moderate<br>Multiple attachments at base; large branch failure; topped; decay at old wounds. |
| 309      | Pecan                   | 36                   | 3                                  | Moderate<br>Lowest branch at 15'; one sided to NW.   |
| 310      | Pecan                   | 16                   | 3                                  | Moderate<br>Lowest branch at 17'; upright habit; low vigor.                                  |
| 311      | Pecan                   | 29                   | 3                                  | Moderate<br>Codominant at 12'; trunk lean to N; one-sided to NE.                             |
| 312      | Loquat                  | 15                   | 2                                  | Low<br>Codominant at 8'; broken, decayed central leader; decay at branch wounds.             |
| 313      | Black alder             | 8                    | 2                                  | Low<br>36" box; suppressed on NE side; branch decay.   |
| 314      | Coral tree              | 29                   | 2                                  | Low<br>Multiple attachments at 2'; low vigor; deadwood; twig dieback; was boxed.             |
| 315      | Coast live oak          | 21                   | 3                                  | Moderate<br>Multiple attachments at base; crossing stems; full canopy.                       |
| 316      | California bay          | 18                   | 3                                  | Moderate<br>Ivy on trunk; upright stems; full canopy.  |
| 317      | Evergreen ash           | 9                    | 3                                  | Low<br>24" box; codominant at 4'; thin canopy; tortoise beetle.                              |
| 319      | Silver maple            | 33                   | 2                                  | Low<br>Topped; decay at old wounds; low vigor.   |
| 320      | Silver maple            | 31                   | 2                                  | Low<br>Trunk lean to N; multiple attachments at 5'; topped.                                  |
| 321      | Silver maple            | 35                   | 1                                  | Low<br>Codominant at 4'; all but dead; basal decay.  |
| 322      | Glossy privet           | 5,4,3,3,2,2,2        | 2                                  | Low<br>Multiple attachments at base; upright stems; chlorotic.                               |
| 323      | Bald cypress            | 9                    | 5                                  | High<br>Trunk lean corrected; lowest branch at 3'; thin canopy.                              |
| 324      | Loquat                  | 10                   | 2                                  | Low<br>Trunk lean to N; woodpecker damage; suppressed on S side.                             |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species           | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments  |
|----------|-------------------|----------------------|------------------------------------|---|
| 325      | Kohuhu            | 11                   | 2                                  | Low<br>Multiple attachments at 3'; upright stems ; branch decay; suppressed canopy. |
| 326      | Kohuhu            | 13                   | 2                                  | Low<br>Codominant at 3'; decay in trunk wound; suppressed                           |
| 327      | Kohuhu            | 10,9                 | 2                                  | Low<br>Codominant at 2'; upright stems; suppressed canopy.                          |
| 328      | Kohuhu            | 15                   | 2                                  | Low<br>Trunk lean to W; decay at base; upright stems; suppressed canopy.            |
| 329      | Pindo palm        | 21                   | 1                                  | Low<br>Trunk lean to S; decay at 5'; all but dead.                                  |
| 330      | Japanese maple    | 13                   | 3                                  | Low<br>Multiple attachments at 3'; upright stems; one- sided to N.                  |
| 331      | Loquat            | 9                    | 3                                  | Low<br>Round headed canopy; deadwood; lowest branch at 10'.                         |
| 332      | Windmill palm     | 7                    | 4                                  | Moderate<br>Frost damage; upper trunk lean to N corrected; heavy skirt.             |
| 333      | Loquat            | 13                   | 2                                  | Low<br>Trunk lean to NW; hollow at base; thinning crown; low vigor; girdling roots. |
| 334      | Queen palm        | 10                   | 3                                  | Moderate<br>Brown trunk height 25'; frost damage.                                   |
| 335      | Silver dollar gum | 23                   | 3                                  | Low<br>Trunk lean to N; branch failures; heavy end weight.                          |
| 336      | Kohuhu            | 12, 10, 7            | 2                                  | Low<br>Multiple attachments at base; branch failures: decay in main stems.          |
| 337      | Kohuhu            | 8                    | 2                                  | Low<br>Trunk lean to S; decay in main stem.   |
| 338      | Kohuhu            | 8                    | 2                                  | Low<br>Trunk lean to W; decay in trunk.   |
| 339      | Kohuhu            | 9                    | 2                                  | Low<br>Trunk lean to NE; decay in trunk.  |
| 340      | Kohuhu            | 6                    | 2                                  | Low<br>Trunk lean to E; decay in base.  |
| 341      | Kohuhu            | 20                   | 3                                  | Moderate<br>Brown trunk height 90'; small canopy                                    |
| 342      | Kohuhu            | 9,7                  | 2                                  | Low<br>Codominant at 1' ; decay at base and stems; deadwood; trunk lean to w        |
| 343      | Kohuhu            | 10,9                 | 2                                  | Low<br>Codominant at 1'; trunk galls; decay at old branch wounds                    |
| 344      | Kohuhu            | 7                    | 2                                  | Low<br>Decay at base; trunk lean to SW.   |
| 345      | Kohuhu            | 11                   | 2                                  | Low<br>Decay at base; trunk lean to E.  |
| 346      | Kohuhu            | 10,10                | 2                                  | Low<br>Codominant at 1'; decay at base; trunk lean to E.                            |



# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species            | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments   |
|----------|--------------------|----------------------|------------------------------------|--|
| 347      | Kohuhu             | 7                    | 2                                  | Low Upright stem; decay at 3'.   |
| 348      | Kohuhu             | 8                    | 2                                  | Low Trunk lean to W; lowest branch at 12'; decay in branch.              |
| 349      | Kohuhu             | 11,8                 | 3                                  | Low Codominant at 3'; decay in trunk wounds; suppressed canopy.          |
| 350      | Kohuhu             | 6                    | 2                                  | Low Trunk lean to W; suppressed canopy.                                  |
| 351      | Kohuhu             | 14,9,5               | 2                                  | Low Multiple attachments at base; decay in main stems.                   |
| 352      | Kohuhu             | 5                    | 2                                  | Low Trunk lean to E; decay at base.                                      |
| 353      | Kohuhu             | 6,5                  | 2                                  | Low Codominant at base; low vigor; suppressed canopy.                    |
| 354      | Kohuhu             | 9,6                  | 2                                  | Low Codominant at base; decay at old wounds.                             |
| 355      | Kohuhu             | 14,11                | 2                                  | Low Decay in main stems; trunk lean to SE.                               |
| 356      | Kohuhu             | 9                    | 2                                  | Low Decay at base; trunk lean to SE.                                     |
| 357      | Kohuhu             | 10                   | 2                                  | Low Trunk lean to S; lowest branch at 10'; cactus at base.               |
| 358      | Olive              | 17                   | 2                                  | Low Decay at base; single stem; lean to S.                               |
| 359      | Cabbage palm       | 8                    | 2                                  | Low One-sided to SW; deadwood in canopy.                                 |
| 360      | Bottle tree        | 6                    | 3                                  | Moderate One sided to W; suppressed by olive.                            |
| 361      | Fan palm           | 12                   | 3                                  | Moderate 2' brown trunk; seedling.                                       |
| 362      | Kentia palm        | 12                   | 4                                  | Moderate Brown trunk height 25'; frost damage; shrubs and brush at base. |
| 363      | Cabbage palm       | 10,10,9              | 3                                  | Low Multiple attachments at base; lean to S.                             |
| 364      | Canary Island pine | 31                   | 1                                  | Low Branch dieback; thin; dying; one sided on S; suppressed on W.        |
| 365      | Canary Island pine | 27                   | 2                                  | Low Leaning to w; suppressed canopy.                                     |
| 367      | Windmill palm      | 8                    | 4                                  | Moderate One sided to E; frost damage.                                   |
| 368      | Kohuhu             | 10,8                 | 2                                  | Low Codominant at 2'; decay at base and stems; topped.                   |
| 369      | Kohuhu             | 10                   | 2                                  | Low Trunk lean to NE; decay at base.                                     |
| 370      | Kohuhu             | 11,7                 | 2                                  | Low Codominant at 3'; trunk lean to N; decay in base; branch failures.   |
| 371      | Valley oak         | 15                   | 3                                  | Low Trunk lean to W; one-sided to W; low vigor.                          |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species            | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent |          | Comments  |
|----------|--------------------|----------------------|------------------------------------|----------|---|
| 372      | Canary Island pine | 19                   | 2                                  | Low      | Leaning to W; trunk canker; thin; branch dieback; chlorotic needles.                      |
| 373      | Canary Island pine | 20                   | 2                                  | Low      | Leaning to SW; thin; branch dieback; chlorotic needles..                                  |
| 374      | Chinese photinia   | 10,10,9              | 1                                  | Low      | Thinning canopy; almost dead.   |
| 375      | Cabbage palm       | 7,7,5,4              | 2                                  | Low      | One sided to W; leaf spot; branch dieback.  |
| 376      | Deodar cedar       | 21                   | 3                                  | Low      | Suppressed on W; deadwood in lower canopy.  |
| 377      | Deodar cedar       | 14                   | 3                                  | Low      | Codominant at base with #376; one sided to N; suppressed canopy.                          |
| 378      | Blue atlas cedar   | 21                   | 3                                  | Moderate | One-sided to W.   |
| 379      | California pepper  | 15                   | 2                                  | Moderate | Trunk lean to W; suppressed canopy.   |
| 380      | Coast live oak     | 30                   | 3                                  | Moderate | Trunk lean to W; branch failure; girdling root with borers above in trunk.                |
| 381      | Kohuhu             | 17                   | 3                                  | Moderate | Codominant at 5'; topped; branch decay.   |
| 382      | California bay     | 9,9,8                | 3                                  | Moderate | Multiple attachments at 3'; one sided to W.   |
| 383      | California bay     | 10,10,10,9,8,9,9,8,7 | 3                                  | Moderate | Multiple attachments at base; decay at base; upright stems.                               |
| 384      | California pepper  | 14                   | 2                                  | Low      | Trunk lean to W; poor structure and form; decay..   |
| 385      | Kohuhu             | 9,9                  | 2                                  | Low      | Trunk lean to W; dead branches in canopy.   |
| 386      | Olive              | 25                   | 3                                  | Moderate | Topped; branch failures.  |
| 387      | Italian cypress    | 11                   | 3                                  | Moderate | Multiple attachments at 7'; upright stems; low vigor.                                     |
| 388      | Kohuhu             | 13,11                | 2                                  | Low      | Multiple attachments at 3'; decay; dieback.   |
| 389      | Mulberry           | 10                   | 1                                  | Low      | Multiple attachments at 5'; extensive dieback; thin; crack at scaffold branch attachment. |
| 390      | Mexican fan palm   | 29                   | 3                                  | Low      | Brown trunk height 75': crook in upper trunk; frost damage.                               |
| 391      | Bald cypress       | 26                   | 2                                  | Low      | Low vigor; dead branches.   |
| 392      | Coast live oak     | 6                    | 4                                  | High     | Strong central leader; ivy on trunk.  |
| 393      | Black locust       | 10,9                 | 3                                  | Low      | One sided to W; codominant stems at 1' and 6'.  |
| 394      | Olive              | 5                    | 2                                  | Low      | Suppressed; branch failure.   |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species            | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent |          | Comments   |
|----------|--------------------|----------------------|------------------------------------|----------|--|
| 395      | Black locust       | 18                   | 3                                  | Low      | Cavity at base; bowed to W.  |
| 397      | Coast live oak     | 10,8                 | 3                                  | Moderate | Codominant at 3'; trunk lean to NE; suppressed canopy.                                   |
| 398      | Coast live oak     | 17,12                | 4                                  | High     | Ivy on trunk; one-sided to E; Ehrhorn scale; codominant trunks at 2'.                    |
| 399      | Mt. Atlas pistache | 15,9                 | 2                                  | Low      | Codominant at 3'; one-sided to S; dead branches.   |
| 400      | Coast live oak     | 15                   | 2                                  | Low      | Sprouting stump.   |
| 401      | Deodar cedar       | 33                   | 3                                  | Moderate | Dead ivy stems on trunk; bleeding wounds; thinning canopy; dead branches.                |
| 402      | California bay     | 11,8,7,6,4           | 3                                  | Moderate | Multiple attachments at 2'; upright stems.   |
| 403      | Coast live oak     | 17                   | 3                                  | Moderate | Codominant at 7'; trunk lean to E; somewhat thin.  |
| 404      | Windmill palm      | 10                   | 2                                  | Low      | Growing into oak canopy.   |
| 405      | Windmill palm      | 9                    | 3                                  | Moderate | Suppressed canopy.   |
| 406      | Windmill palm      | 7                    | 3                                  | Moderate | Frost damage; trunk lean to N.   |
| 407      | Windmill palm      | 6                    | 3                                  | Moderate | Frost damage; upright form.  |
| 408      | Windmill palm      | 7                    | 3                                  | Moderate | Frost damage; upright form.  |
| 409      | Windmill palm      | 10                   | 3                                  | Moderate | Frost damage; trunk lean to S.   |
| 410      | Deodar cedar       | 35                   | 3                                  | Moderate | One sided to S; somewhat thin.   |
| 411      | Deodar cedar       | 29                   | 3                                  | Low      | One sided to N; branch failures; somewhat thin.  |
| 412      | Victorian box      | 6                    | 4                                  | High     | Codominant at 5'; multiple pruning wounds.   |
| 413      | Deodar cedar       | 30                   | 4                                  | Moderate | Large crown ; lowest branch at 8'; symmetrical canopy; weeping form, somewhat blue/gray. |
| 414      | Windmill palm      | 7                    | 3                                  | Moderate | Frost damage; trunk lean to E.   |
| 415      | Windmill palm      | 6                    | 3                                  | Moderate | Frost damage; trunk lean to NE.  |
| 416      | Windmill palm      | 9                    | 3                                  | Moderate | Frost damage; upright form.  |
| 417      | Windmill palm      | 7                    | 3                                  | Moderate | Frost damage; trunk lean to SE.  |
| 418      | Windmill palm      | 6                    | 3                                  | Moderate | Frost damage; trunk lean to SE.  |
| 419      | Windmill palm      | 7                    | 2                                  | Moderate | Frost damage; trunk lean to SE; top bowed over.  |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species             | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments |   |
|----------|---------------------|----------------------|------------------------------------|----------|---|
| 420      | California bay      | 11                   | 3                                  | Moderate | Thin canopy; suppressed by #421.  |
| 421      | California bay      | 50                   | 3                                  | Moderate | Stump sprout; multiple stems arise a ground level; upright stems; one sided on N.         |
| 422      | Deodar cedar        | 33                   | 3                                  | Low      | Upright form; full canopy; small branch dieback where shaded by adjacent tree..           |
| 423      | Incense cedar       | 18,4                 | 3                                  | Low      | Dead branches in canopy; one sided to S.  |
| 424      | California fan palm | 30                   | 4                                  | High     | Brown trunk height 50'.   |
| 425      | California fan palm | 30                   | 4                                  | High     | Brown trunk height 30'.   |
| 426      | Hollyleaf cherry    | 6,6,5,5,4,4,3,2,2    | 2                                  | Low      | Multiple attachments at base; growing at base of #424.                                    |
| 427      | Coast live oak      | 19                   | 3                                  | Moderate | Thinning canopy; multiple attachments at 5'.  |
| 428      | Deodar cedar        | 26                   | 3                                  | Moderate | One-sided to E; thinning canopy.  |
| 429      | Coast live oak      | 6                    | 2                                  | Low      | Codominant at 7'; suppressed canopy.  |
| 430      | California bay      | 14,12                | 2                                  | High     | Codominant at 1'; branch wounds; ivy at base.   |
| 432      | Mt. Atlas pistache  | 18                   | 2                                  | Low      | Thin; twig and branch dieback; ivy on trunk.  |
| 433      | Chinese elm         | 18                   | 3                                  | Moderate | Lower trunk covered with ivy; one-sided to N.   |
| 434      | Blue atlas cedar    | 25,19                | 3                                  | Moderate | Codominant at 2'; upright stems; dead branches; branch failures; branch wounds; top thin. |
| 436      | Incense cedar       | 19                   | 2                                  | Low      | One-sided to S; dead branches; suppressed by cedar.                                       |
| 437      | Incense cedar       | 18,11                | 2                                  | Low      | One-sided to S; dead branches; suppressed by cedar.                                       |
| 438      | Coast live oak      | 7                    | 2                                  | Low      | One-sided to N; suppressed on S.  |
| 439      | California pepper   | 9                    | 1                                  | Low      | Irregular form; extensive twig and branch dieback.  |
| 440      | Coast live oak      | 21                   | 4                                  | High     | Multiple attachments at 3'; one sided to S.; low branch over path damaged by trucks.      |
| 441      | Blackwood acacia    | 7                    | 4                                  | Low      | One-sided to S; lowest branch at 14'; strong central trunk.                               |
| 442      | Blackwood acacia    | 18                   | 3                                  | Low      | Ivy at base; codominant stems at 18'; top bowed towards house.                            |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species            | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments |   |
|----------|--------------------|----------------------|------------------------------------|----------|---|
| 443      | Blackwood acacia   | 22                   | 3                                  | Low      | One-sided to SW; wide-spreading upper crown with heavy lateral branches.                              |
| 444      | Blackwood acacia   | 7                    | 2                                  | Low      | Low vigor; crowded in location; lean to N.  |
| 445      | Plum               | 5                    | 3                                  | Low      | Seedling; many sprouts along trunk.   |
| 446      | Coast live oak     | 12,6                 | 4                                  | High     | One-sided to SW.  |
| 447      | Fan palm           | 6                    | 4                                  | High     | Seedling; 1' brown trunk.   |
| 448      | Plum               | 6                    | 2                                  | Low      | Seedling; many basal sprouts.   |
| 449      | Coast live oak     | 5,3                  | 3                                  | Low      | Codominant at 1'; upright stems.  |
| 450      | Coast live oak     | 7                    | 3                                  | Low      | Trunk lean to SW; scrubby.  |
| 451      | Holly oak          | 6                    | 3                                  | Moderate | Small high crown; slight lean W..   |
| 453      | Blue atlas cedar   | 33                   | 4                                  | High     | Multiple attachments at 20'; slightly thin crown; in reconstructed nursery box.                       |
| 454      | Glossy privet      | 10                   | 1                                  | Low      | Multiple attachments at base; base covered in ivy; twig and branch dieback; almost dead.              |
| 455      | Plum               | 24                   | 3                                  | Low      | Multiple attachments at base; slightly thin crown; on fence line; many sprouts.                       |
| 456      | Mt. Atlas pistache | 20                   | 2                                  | Low      | Poor form; trunk bends E. with branches touching the ground.  |
| 457      | Plum               | 6                    | 3                                  | Low      | Multiple attachments at base; slightly thin crown; on fence line.                                     |
| 458      | Southern magnolia  | 36                   | 2                                  | Low      | Multiple attachments at base; cavity with decay in between stems; thin canopy; twig dieback.          |
| 459      | Plum               | 11                   | 2                                  | Low      | Multiple attachments at base; leans SE.; crowded by 458.  |
| 460      | Coast live oak     | 7                    | 3                                  | Moderate | Narrow upright form; slightly thin crown; on property line.   |
| 461      | Coast live oak     | 10,9                 | 3                                  | Moderate | Codominant at base; slight lean E.; crowded by adjacent trees.  |
| 462      | Mt. Atlas pistache | 7                    | 3                                  | Low      | Trunk bows NE. with branches touching the ground.   |
| 463      | Coast live oak     | 12                   | 3                                  | Moderate | Top bowed to E.; dense crown; base on property line; engulfed in ivy.                                 |
| 464      | Coast live oak     | 24                   | 3                                  | Moderate | Multiple attachments at base; trunk and scaffolds covered in ivy; base on property line; dense crown. |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species            | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments   |
|----------|--------------------|----------------------|------------------------------------|--|
| 465      | Sweet olive        | 12                   | 3                                  | Low<br>Base covered in ivy; on property line; asymmetrical crown E.; leaf tip burn.                    |
| 466      | Loquat             | 12                   | 3                                  | Low<br>Codominant at 2'; covered in ivy; crowded form; twig dieback.                                   |
| 467      | Coast live oak     | 25                   | 3                                  | Moderate<br>Codominant at 2'; dense crown; leans E.; covered in ivy.                                   |
| 468      | Coast live oak     | 20                   | 3                                  | Moderate<br>Dense crown; covered in ivy; asymmetrical crown SE..                                       |
| 469      | Mt. Atlas pistache | 13                   | 3                                  | Moderate<br>Codominant at 2'; nice form; twig dieback throughout crown.                                |
| 470      | Blue atlas cedar   | 38                   | 4                                  | High<br>Slightly thin crown; lost central leader; fair structure; stub cuts.                           |
| 471      | Windmill palm      | 9                    | 4                                  | High<br>12' brown trunk height.  |
| 472      | Windmill palm      | 6                    | 4                                  | High<br>18' brown trunk height; slightly yellow frond tips.  |
| 473      | Windmill palm      | 6                    | 4                                  | High<br>15' brown trunk.   |
| 474      | Windmill palm      | 8                    | 4                                  | High<br>18' brown trunk.   |
| 475      | Windmill palm      | 7                    | 4                                  | High<br>6' brown trunk height; nice tree.  |
| 476      | Windmill palm      | 9                    | 4                                  | High<br>5' brown trunk height; nice tree.  |
| 477      | Windmill palm      | 7                    | 4                                  | High<br>17' brown trunk height; corrected lean.  |
| 478      | Windmill palm      | 7                    | 4                                  | High<br>18' brown trunk height; slightly yellow fronds tips.   |
| 479      | Windmill palm      | 6                    | 4                                  | High<br>18' brown trunk height; slightly yellow fronds tips.   |
| 480      | Blackwood acacia   | 9                    | 4                                  | High<br>Good form and structure.   |
| 481      | Windmill palm      | 9                    | 4                                  | High<br>20' brown trunk height; growing in cluster with four other palms; slightly yellow fronds tips. |
| 482      | Windmill palm      | 8                    | 4                                  | High<br>17' brown trunk height; slightly yellow fronds tips.   |
| 483      | Windmill palm      | 10                   | 4                                  | High<br>14' brown trunk height; slightly yellow fronds tips.   |
| 484      | Windmill palm      | 7                    | 4                                  | High<br>18' brown trunk height; slightly yellow fronds tips.   |
| 485      | Windmill palm      | 7                    | 4                                  | High<br>19' brown trunk height; slightly yellow fronds tips.   |
| 486      | Windmill palm      | 6                    | 4                                  | High<br>16' brown trunk height; slightly yellow fronds tips.   |
| 487      | Windmill palm      | 6                    | 4                                  | High<br>16' brown trunk height; slightly yellow fronds tips.   |
| 488      | Windmill palm      | 6                    | 4                                  | High<br>18' brown trunk height; slightly yellow fronds tips.   |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species            | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments  |
|----------|--------------------|----------------------|------------------------------------|---|
| 489      | Monterey cypress   | 55                   | 3                                  | Low<br>Good form; fair structure; multiple attachments high in crown; history of branch failure; trunk wound on S. from base to 10' from codominant stem failure. |
| 490      | Mexican fan palm   | 14                   | 3                                  | Moderate<br>12' brown trunk height; nice crown; trunk wound at base and 3'.   |
| 491      | Mexican fan palm   | 16                   | 4                                  | High<br>13' brown trunk height; nice form; crippled fronds.   |
| 492      | Yew                | 20                   | 1                                  | Low<br>Very thin crown; mostly dead.  |
| 493      | Coast live oak     | 8                    | 3                                  | Moderate<br>Codominant at 6'; slightly thin crown; leans S. away from 494.  |
| 494      | Spanish fir        | 19                   | 3                                  | Moderate<br>Lost central leader; dogleg in trunk where leader was lost and replaced; slightly thin crown; suppressed form; dead branches.                         |
| 495      | Yew                | 14                   | 2                                  | Low<br>Very thin crown; brown needles; drought stressed.  |
| 496      | Blackwood acacia   | 20                   | 2                                  | Low<br>Codominant at 15' and 26'; slightly thin crown; twig dieback; leans E. away from 497; declining.   |
| 497      | Deodar cedar       | 44                   | 4                                  | High<br>Nice form; slightly thin crown; history of branch failure; 80' tall.  |
| 498      | River she-oak      | 10                   | 3                                  | Low<br>Thin crown; twig dieback; rangy form; trunk wounded with axe.  |
| 499      | Yew                | 23                   | 2                                  | Low<br>Very thin crown; brown needles; dead limbs.  |
| 501      | Kohuhu             | 23                   | 3                                  | Low<br>Multiple attachments at 2'; dense crown; dead stem; trunk wounds with decay in 2 stems.  |
| 502      | Mexican fan palm   | 19                   | 4                                  | High<br>60' brown trunk height; nice crown.   |
| 503      | Cabbage palm       | 7                    | 4                                  | High<br>Codominant at 5'; compact form; new shoots at base.   |
| 504      | River she-oak      | 12                   | 4                                  | High<br>Nice form; codominant stems high in crown hic; group of 3 trees.  |
| 505      | River she-oak      | 7                    | 3                                  | Moderate<br>Narrow form; grown through nursery pot.   |
| 506      | River she-oak      | 11                   | 3                                  | Moderate<br>Codominant high in crown; corrected lean S.; trunk bleed at 4'; group of 3 trees.   |
| 507      | Fremont cottonwood | 36                   | 1                                  | Low<br>Thin crown; twig and branch dieback; history of branch failure; ivy to 20'.  |
| 509      | Colorado spruce    | 10                   | 2                                  | Low<br>All but dead.  |
| 510      | Colorado spruce    | 11                   | 3                                  | Moderate<br>Thin crown; twig dieback; crook in trunk.   |
| 511      | Colorado spruce    | 9                    | 2                                  | Low<br>Twig and branch dieback; very thin crown.  |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species          | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments |  |
|----------|------------------|----------------------|------------------------------------|----------|--|
| 513      | Lombardy poplar  | 25                   | 1                                  | Low      | All but dead.  |
| 514      | Lombardy poplar  | 25                   | 1                                  | Low      |  |
| 515      | Deodar cedar     | 16                   | 3                                  | Low      | Codominant at 12'; stems twist together; slightly thin crown; trunk wound on E. at 2'.                                   |
| 516      | Cliff date palm  | 36                   | 4                                  | High     | 25' brown trunk height; slightly dry fronds.   |
| 517      | Raywood ash      | 7                    | 4                                  | High     | Good form and structure; growing through nursery box.  |
| 518      | Cliff date palm  | 35                   | 4                                  | High     | 20' brown trunk height; slightly dry fronds; unusual basal shape.  |
| 519      | Glossy privet    | 7                    | 3                                  | Low      | Multiple attachments at base; topped at 5'; still in nursery box.  |
| 520      | Cliff date palm  | 21                   | 4                                  | High     | 19' brown trunk height; slightly dry fronds; slight lean NE..  |
| 521      | Hazelnut         | 7                    | 4                                  | Moderate | Nice form; bend in trunk; out of nursery box.  |
| 522      | Plum             | 21                   | 1                                  | Low      | All but dead.  |
| 523      | Persimmon        | 10                   | 3                                  | Moderate | Multiple attachments at 5'; slightly thin crown; twig dieback.   |
| 524      | Glossy privet    | 30                   | 2                                  | Low      | Multiple attachments at base; mostly dead.   |
| 526      | River she-oak    | 18                   | 2                                  | Low      | Poor form and structure; significant trunk wound from tip to base.   |
| 527      | Guadalupe palm   | 18                   | 4                                  | High     | 15' brown trunk height; nice tree; stippling on fronds.  |
| 528      | Guadalupe palm   | 21                   | 5                                  | High     | 12' brown trunk height; nice tree.   |
| 529      | Monterey cypress | 50                   | 3                                  | Moderate | Foliage thinning; fair form ; history of large branch failure on S; broken branches hanging over building; twig dieback. |
| 530      | Monterey cypress | 50                   | 4                                  | Moderate | Codominant at 7'; stub cuts in lower canopy.   |
| 531      | Monterey cypress | 49                   | 2                                  | Low      | Leaning S.; dieback in upper crown; trunk wound on S. from base to 8'.   |
| 532      | River she-oak    | 25                   | 1                                  | Low      | Poor form and structure; trunk wound with decay from base to tip; dead branches.   |
| 533      | River she-oak    | 23                   | 3                                  | Low      | Codominant at 27'; wound where branch failed with bee activity; history of branch failure; decay.                        |
| 534      | River she-oak    | 26                   | 3                                  | Low      | Codominant at 26'; twig and branch dieback; history of branch failure.   |



# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species                 | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments  |
|----------|-------------------------|----------------------|------------------------------------|---|
| 535      | Monterey cypress        | 48                   | 2                                  | Low<br>Thin crown; history of branch failure; brown needles; trunk wound from codominant failure o E.; leaning S.; trunk decay. |
| 536      | River she-oak           | 19                   | 3                                  | Moderate<br>Thin crown; twig dieback; upright form.   |
| 537      | River she-oak           | 44                   | 2                                  | Low<br>Codominant at base; history of branch failure; trunk wound on W. from branch failure; decay from base to 9'.             |
| 538      | Coast live oak          | 35                   | 3                                  | Moderate<br>Multiple attachments at 8'; spreading form with end weight; suppressed on E.  |
| 539      | Cork oak                | 22                   | 3                                  | Moderate<br>Significant lean S.; suppressed by adjacent tree.   |
| 540      | Monterey cypress        | 27                   | 3                                  | Low<br>Poor form and structure; trunk wound with decay from base to 8'; foliage browning.                                       |
| 541      | Glossy privet           | 10                   | 3                                  | Moderate<br>Multiple attachments at 1'; suppressed on N.; twig dieback; wilted.   |
| 542      | Victorian box           | 4                    | 3                                  | Low<br>Seedling growing in decayed trunk of dead tree; wilted.  |
| 543      | Monterey cypress        | 32                   | 3                                  | Moderate<br>Codominant at 12' with narrow attachment ; corrected lean S.; Nice form.  |
| 544      | Senegal date palm       | 65 Cluster           | 4                                  | High<br>4 trees; beautiful cluster.   |
| 545      | Canary Island date palm | 28                   | 3                                  | Low<br>Partial root failure; trunk sweeps towards W.; dead fronds.  |
| 546      | Incense cedar           | 10                   | 2                                  | Low<br>Poor form and structure; lost central leader; dieback.   |
| 547      | Coast live oak          | 11                   | 3                                  | Moderate<br>Codominant at 3'; fair structure; nice form.  |
| 548      | Chinese pistache        | 7                    | 4                                  | High<br>Good form and structure; codominant stems at 12'.   |
| 549      | Coast live oak          | 32                   | 4                                  | Moderate<br>Multiple attachments at 4'; nice form; growing on mound (formerly nursery box?).                                    |
| 550      | Yew                     | 15                   | 4                                  | Moderate<br>Multiple attachments at 3'; spreading form; some dieback.   |
| 551      | California pepper       | 6                    | 2                                  | Low<br>Partial failure at base; crown touching ground.  |
| 552      | California bay          | 13                   | 3                                  | Low<br>Multiple attachments at base; dense crown; trunk wound with decay on main stem from base to 12'.                         |
| 553      | Coast live oak          | 37                   | 1                                  | 0<br>All but dead.  |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species                 | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments  |
|----------|-------------------------|----------------------|------------------------------------|---|
| 554      | Coast live oak          | 16                   | 2                                  | Low<br>Codominant at base; one stem dead; trunk bends toward ground.                      |
| 555      | Coast live oak          | 21                   | 3                                  | High<br>Multiple attachments at 13'; nice form; slightly thin crown; outgrew nursery box. |
| 556      | Coast live oak          | 22                   | 4                                  | High<br>Codominant at 20'; asymmetrical form.   |
| 557      | Glossy privet           | 24                   | 3                                  | Moderate<br>Multiple attachments at base; slightly thin crown; stem dieback.              |
| 558      | California black walnut | 7                    | 3                                  | Moderate<br>Lost central leader; poor form; twig dieback.                                 |
| 559      | Coast live oak          | 7                    | 3                                  | Moderate<br>Codominant at 7'; crowded by adjacent tree; minor twig dieback.               |
| 560      | Bigleaf maple           | 13                   | 2                                  | Low<br>Dead top; trunk wound with decay from base to 15'.                                 |
| 561      | Yew                     | 36                   | 3                                  | Low<br>Multiple attachments at base; spreading form; drought stressed; twig dieback.      |
| 562      | Yew                     | 36                   | 3                                  | Low<br>Multiple attachments at base; spreading form; drought stressed; twig dieback.      |
| 563      | Yew                     | 24                   | 3                                  | Low<br>Multiple attachments at base; spreading form; drought stressed; twig dieback.      |
| 564      | Yew                     | 18                   | 3                                  | Low<br>Multiple attachments at base; spreading form; drought stressed; twig dieback.      |
| 565      | Yew                     | 7                    | 3                                  | Low<br>Base outside dripline; drought stressed; twig dieback.                             |
| 566      | Yew                     | 24                   | 3                                  | Low<br>Multiple attachments at base; spreading form; drought stressed; twig dieback.      |
| 567      | Yew                     | 18                   | 3                                  | Low<br>Multiple attachments at base; spreading form; drought stressed; twig dieback.      |
| 568      | Yew                     | 24                   | 3                                  | Low<br>Codominant at 1'; spreading form; drought stressed; twig dieback.                  |
| 569      | Yew                     | 12                   | 3                                  | Low<br>Multiple attachments at base; spreading form; drought stressed; twig dieback.      |
| 570      | Yew                     | 18                   | 3                                  | Low<br>Multiple attachments at base; spreading form; drought stressed; twig dieback.      |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species            | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments  |
|----------|--------------------|----------------------|------------------------------------|---|
| 571      | Yew                | 36                   | 3                                  | Low<br>Multiple attachments at base; spreading form; drought stressed; twig dieback.      |
| 572      | Yew                | 18                   | 3                                  | Low<br>Codominant at base; drought stressed; twig dieback.                                |
| 573      | Yew                | 24                   | 3                                  | Low<br>Multiple attachments at base; drought stressed; twig dieback.                      |
| 574      | Yew                | 36                   | 3                                  | Low<br>Multiple attachments at base; spreading form; drought stressed; twig dieback.      |
| 575      | Yew                | 24                   | 3                                  | Low<br>Multiple attachments at base; spreading form; drought stressed; twig dieback.      |
| 576      | Yew                | 36                   | 3                                  | Low<br>Multiple attachments at base; spreading form; drought stressed; twig dieback.      |
| 577      | Yew                | 18                   | 3                                  | Low<br>Multiple attachments at base; spreading form; drought stressed; twig dieback.      |
| 578      | Yew                | 40                   | 3                                  | Low<br>Multiple attachments at base; spreading form; drought stressed; twig dieback.      |
| 579      | Mt. Atlas pistache | 7                    | 3                                  | Low<br>Poor form and structure; crowded form.   |
| 580      | Mt. Atlas pistache | 8                    | 3                                  | Low<br>Poor form and structure; crowded form; twisted trunk.                              |
| 581      | Loquat             | 7                    | 3                                  | Moderate<br>Dense crown; slight lean SW..   |
| 582      | Italian buckthorn  | 11                   | 2                                  | Low<br>Multiple attachments at 2'; dead stems; dieback.                                   |
| 583      | Loquat             | 8                    | 3                                  | Moderate<br>Multiple attachments at base; dense crown; crowded form.                      |
| 584      | Mt. Atlas pistache | 18                   | 2                                  | Low<br>Multiple attachments at base; crowded form; twig and branch dieback.               |
| 585      | Mt. Atlas pistache | 12                   | 3                                  | Moderate<br>Multiple attachments at base; crowded form; twig dieback.                     |
| 586      | Mt. Atlas pistache | 27                   | 3                                  | Moderate<br>Multiple attachments at base; crowded form; twig dieback.                     |
| 587      | Purpleleaf plum    | 24                   | 3                                  | Moderate<br>Multiple attachments at base; spreading form; twig dieback.                   |
| 588      | Yew                | 36                   | 3                                  | Moderate<br>Multiple attachments at base; spreading form; drought stressed; twig dieback. |
| 589      | Douglas fir        | 7                    | 3                                  | Low<br>Narrow upright form; thin crown; twig dieback.                                     |
| 590      | Yew                | 36                   | 3                                  | Moderate<br>Multiple attachments at base; spreading form; drought stressed; twig dieback. |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species                 | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments  |
|----------|-------------------------|----------------------|------------------------------------|---|
| 591      | Yew                     | 44                   | 3                                  | Moderate<br>Multiple attachments at base; spreading form; drought stressed; twig dieback.       |
| 592      | Yew                     | 42                   | 2                                  | Low<br>Multiple attachments at base; spreading form; drought stressed; twig and branch dieback. |
| 593      | Yew                     | 31                   | 2                                  | Low<br>Codominant at base; spreading form; drought stressed; twig and branch dieback.           |
| 594      | Persimmon               | 7                    | 3                                  | Moderate<br>Codominant at 5'; nice form.  |
| 595      | Persimmon               | 8                    | 4                                  | Moderate<br>Codominant at 12'; nice form.   |
| 596      | Persimmon               | 7                    | 3                                  | Moderate<br>Multiple attachments at 8'; twig dieback; nice form.                                |
| 597      | Persimmon               | 6                    | 3                                  | Moderate<br>Codominant at 7'; nice form.  |
| 598      | California black walnut | 26                   | 3                                  | Moderate<br>Multiple trunks arise at 1'; slightly thin crown; defoliating.                      |
| 599      | Persimmon               | 7                    | 3                                  | Moderate<br>Codominant at 8'; crowded form.   |
| 600      | Coast live oak          | 27                   | 4                                  | Moderate<br>Codominant at 10'; nice form; sap sucker damage; minor dieback.                     |
| 601      | Yew                     | 25 stems 4-8         | 1                                  | Low<br>Dead top; epicormics from base.  |
| 602      | Coast live oak          | 9                    | 4                                  | Moderate<br>Crowded; leans W.; good young tree.   |
| 603      | Coast live oak          | 8                    | 3                                  | Moderate<br>Crowded; asymmetric crown.  |
| 604      | Coast live oak          | 6                    | 3                                  | Moderate<br>Crowded; narrow form; small crown.  |
| 605      | California black walnut | 23                   | 4                                  | Moderate<br>Corrected lean E.; crook at 10'; dieback to 3".                                     |
| 606      | Purpleleaf plum         | 6,4,4,2,2,1          | 2                                  | Low<br>Multiple attachments at 2'; dead top.  |
| 607      | Yew                     | 6,5,5,4,4            | 1                                  | Low<br>Mostly dead; epicormics from base.   |
| 608      | Yew                     | 7,7,6,5,5,5,4,4      | 2                                  | Low<br>Multiple attachments at base; suppressed form; dead top; some epicormics.                |
| 609      | Plum                    | 4,3,3                | 3                                  | Low<br>Multiple attachments at 4'; suppressed form; leans NW.; moderate dieback.                |
| 610      | Holly oak               | 6                    | 4                                  | Moderate<br>One sided E.; good young trees.   |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species            | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments   |
|----------|--------------------|----------------------|------------------------------------|--|
| 611      | Foothill pine      | 18                   | 3                                  | Low<br>Leans SW. over fence line; fair structure.  |
| 612      | Coast live oak     | 24                   | 3                                  | Moderate<br>Boxed oak; multiple attachments at 10'; bark checking; upright with lateral SW.    |
| 613      | Coast live oak     | 35                   | 3                                  | Moderate<br>Boxed oak; multiple attachments at 12'; one sided with heavy lateral limbs S.;     |
| 614      | Coast live oak     | 27                   | 3                                  | Moderate<br>Boxed oak; multiple attachments at 15'; upright but narrow form.                   |
| 615      | Coast live oak     | 29                   | 3                                  | Moderate<br>Boxed oak; leans S.; new box notched around 4" root; yellow jackets at base        |
| 616      | Coast live oak     | 21                   | 3                                  | Moderate<br>Boxed oak; suppressed form; leans with crown bowed SE.                             |
| 617      | Yew                | 7,6                  | 2                                  | Low<br>Codominant trunks at base; leans E.; mostly dead above.                                 |
| 618      | Yew                | 15 stems 4-6         | 3                                  | Moderate<br>Multiple attachments at base; vigorous epicormics at base; dieback in upper crown. |
| 619      | Yew                | 8,7,6                | 2                                  | Low<br>Multiple attachments at base; suppressed; leans E.                                      |
| 620      | Coast live oak     | 26                   | 4                                  | Moderate<br>Boxed oak; slight lean E.; good form and structure.                                |
| 621      | Coast live oak     | 21                   | 2                                  | Low<br>Boxed oak; failed at base; 6-8" upright sprouts.  |
| 622      | Yew                | 13 stems 2-5         | 2                                  | Low<br>Multiple attachments at base; epicormics at base; dead top.                             |
| 623      | Coast live oak     | 21                   | 3                                  | Moderate<br>Boxed oak; narrow form; one sided S.   |
| 625      | Coast live oak     | 19                   | 2                                  | Low<br>Boxed oak; leans W.; very asymmetric crown.   |
| 626      | Coast live oak     | 29                   | 4                                  | Moderate<br>Boxed oak; good form and structure; seam in attachment at 20'.                     |
| 627      | Yew                | 7,6,5                | 3                                  | Moderate<br>Multiple attachments at base; moderate dieback.                                    |
| 628      | Yew                | 8,7,5,5,4            | 3                                  | Low<br>Multiple attachments at base; leans E to horizontal; moderate dieback.                  |
| 629      | Coast live oak     | 31                   | 4                                  | High<br>Codominant trunks at 5'; included bark; good form.                                     |
| 630      | Mt. Atlas pistache | 5,4,3                | 4                                  | Moderate<br>Multiple attachments at base; one sided E.; looks like volunteer.                  |
| 631      | Coast live oak     | 29                   | 3                                  | Low<br>Boxed oak; multiple attachments at 15'; slight lean S.; thin canopy.                    |
| 632      | Coast live oak     | 23                   | 2                                  | Low<br>Boxed oak; leans W.; poor form; thin crown.   |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species            | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments   |
|----------|--------------------|----------------------|------------------------------------|--|
| 633      | Coast live oak     | 24                   | 3                                  | Low<br>Boxed oak; multiple attachments at 15'; branches fused at attachments.                |
| 634      | Coast live oak     | 20                   | 3                                  | Low<br>Boxed oak; multiple attachments at 12'; upright, narrow form; thin crown.             |
| 635      | Coast live oak     | 17                   | 3                                  | Moderate<br>Boxed oak; small crown; upright form.  |
| 636      | Coast live oak     | 24                   | 3                                  | Moderate<br>Boxed oak; multiple attachments at 12'; one sided S.; dead wood to 3".           |
| 637      | Coast live oak     | 22                   | 3                                  | Moderate<br>Boxed oak; codominant trunks at 15'; trunks fused below attachment; one sided N. |
| 638      | Coast live oak     | 22                   | 3                                  | Low<br>Boxed oak; multiple attachments at 15'; very one sided S.                             |
| 639      | Coast live oak     | 30                   | 4                                  | Moderate<br>Boxed oak; multiple attachments at 12'; one sided NE.; seam in attachment.       |
| 640      | Coast live oak     | 6,4                  | 3                                  | Moderate<br>Codominant trunks at base; suppressed form; 4" stem bowed W. to horizontal.      |
| 641      | California bay     | 8,7,5                | 3                                  | Moderate<br>Multiple trunks arising from ground level; upright form; kissing trunks.         |
| 642      | Loquat             | 6                    | 3                                  | Low<br>Suppressed form; small crown.   |
| 643      | Loquat             | 9                    | 3                                  | Low<br>Dieback; trunk wounds.  |
| 644      | Loquat             | 9                    | 3                                  | Moderate<br>One sided N.; trunk wound.   |
| 645      | Loquat             | 7                    | 3                                  | Moderate<br>Upright form; small crown.   |
| 646      | Loquat             | 7,5,4                | 3                                  | Moderate<br>Multiple attachments at 2'; upright but overshadowed.                            |
| 647      | Loquat             | 6,5,3                | 3                                  | Moderate<br>Multiple attachments at 1'; crowded but upright.                                 |
| 648      | Italian buckthorn  | 7                    | 2                                  | Low<br>Dead top; wilted.   |
| 649      | Yew                | 7,6,4                | 1                                  | Low<br>Multiple attachments at base; dead top; epicormics from base.                         |
| 650      | Yew                | 8,7                  | 1                                  | Low<br>All but dead.   |
| 651      | Glossy privet      | 8,7,3                | 1                                  | Low<br>All but dead.   |
| 652      | Monterey cypress   | 38                   | 3                                  | Moderate<br>Good form; dieback to 3".  |
| 653      | Cork oak           | 19                   | 3                                  | Moderate<br>Corrected lean SW.; twig dieback in upper canopy.                                |
| 654      | Mt. Atlas pistache | 15                   | 3                                  | Moderate<br>Codominant trunks at 7'; crown bowed SE.   |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species            | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments  |
|----------|--------------------|----------------------|------------------------------------|---|
| 655      | Olive              | 8                    | 3                                  | Moderate<br>Codominant trunks at base; stems twisted around each other; crown bowed SE. |
| 656      | Yew                | 28 stems 3-14        | 2                                  | Low<br>Multiple attachments at base; extensive dieback; no epicormics.                  |
| 657      | Coast live oak     | 7                    | 4                                  | High<br>Codominant trunks at 5'; seam in attachment.                                    |
| 658      | Cork oak           | 30                   | 3                                  | Moderate<br>Roots exposed; one sided E.; dieback throughout crown.                      |
| 659      | Cork oak           | 28                   | 4                                  | Moderate<br>Roots exposed; leans W.; spreading crown.                                   |
| 660      | Mt. Atlas pistache | 26                   | 3                                  | Moderate<br>Leans E.; trunk outside crown.  |
| 661      | Mt. Atlas pistache | 21                   | 3                                  | Low<br>Good vigor; poor form and structure.   |
| 662      | Blue atlas cedar   | 39                   | 4                                  | Moderate<br>Good form and structure; 8" lateral SW.; twig dieback.                      |
| 663      | Coast live oak     | 21                   | 3                                  | Moderate<br>Boxed oak; slight lean SE.  |
| 664      | Coast live oak     | 23                   | 3                                  | Low<br>Boxed oak; one sided S. with 10" & 12" heavy lateral limbs S.                    |
| 665      | Mt. Atlas pistache | 8                    | 3                                  | Moderate<br>Small, high crown.  |
| 666      | Coast live oak     | 9                    | 4                                  | Moderate<br>Slight sweep from base; high crown; good young tree.                        |
| 667      | Mt. Atlas pistache | 7                    | 3                                  | Low<br>Suppressed; leans S.; crook at 5'.   |
| 668      | Coast live oak     | 7                    | 4                                  | Moderate<br>Crowded; high crown; good young tree.                                       |
| 669      | Holly oak          | 7                    | 4                                  | Moderate<br>Crowded; upright, narrow form.  |
| 670      | Holly oak          | 6                    | 4                                  | Moderate<br>Crowded; upright; one sided S.  |
| 671      | Loquat             | 6,7,5                | 3                                  | Low<br>Multiple attachments at base; one stem dead.                                     |
| 672      | Mt. Atlas pistache | 6                    | 2                                  | Low<br>Suppressed; crown bowed S. to horizontal.  |
| 673      | Coast live oak     | 28                   | 3                                  | Low<br>Was once boxed; roots exposed; low lateral E.                                    |
| 674      | Coast live oak     | 13                   | 2                                  | Low<br>Was once boxed; exposed roots; small, thin crown.                                |
| 675      | Mt. Atlas pistache | 10                   | 2                                  | Low<br>Suppressed; crown bowed E. to horizontal.  |
| 676      | Mt. Atlas pistache | 9,6,6,4,3            | 3                                  | Low<br>Multiple attachments at base; suppressed; bowed S. to horizontal.                |
| 677      | Coast live oak     | 10,8,4               | 4                                  | High<br>Multiple attachments at 3'; seam in attachment.                                 |
| 678      | Coast live oak     | 19                   | 5                                  | High<br>Slight lean N.; large pruning wound E.  |
| 679      | Coast live oak     | 15                   | 4                                  | High<br>Codominant trunks at 6'; large branch removed E.                                |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species                 | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments |  |
|----------|-------------------------|----------------------|------------------------------------|----------|--|
| 680      | Silver maple            | 12                   | 4                                  | High     | Multiple attachments at 18'; good form.                          |
| 681      | Canary Island date palm | 36                   | 5                                  | High     | 12' of brown trunk; good form and structure.                     |
| 683      | Apple                   | 23                   | 1                                  | Low      | All but dead.  |
| 684      | Apricot                 | 21                   | 1                                  | Low      | Nothing but basal suckers remain.                                |
| 685      | Apple                   | 15,8,8,7             | 2                                  | Low      | Topped at 6'; crown formed by 3" epicormics.                     |
| 686      | Apricot                 | 4,4,4,3,2            | 3                                  | Moderate | Multiple attachments at 2'; vigorous epicormics.                 |
| 687      | California black walnut | 9,8                  | 2                                  | Low      | Codominant trunks at 3'; dead top.                               |
| 688      | Apricot                 | 2,2,2,2,2            | 4                                  | Moderate | Multiple attachments at 2'; spreading form; vigorous epicormics. |
| 689      | Apricot                 | 3,2,2,1              | 3                                  | Moderate | Multiple attachments at 2'; vigorous epicormics.                 |
| 690      | Apricot                 | 5,3,2,2,2            | 4                                  | Moderate | Multiple attachments at 1'; spreading form; vigorous epicormics. |
| 691      | Apricot                 | 5,4,3,3              | 4                                  | Moderate | Multiple attachments at 2'; spreading form; vigorous epicormics. |
| 692      | Apricot                 | 3,3,2,1,1            | 4                                  | Moderate | Multiple attachments at 2'; spreading form; vigorous epicormics. |
| 693      | Apricot                 | 3,2,2,1,1            | 3                                  | Moderate | Multiple attachments at 2'; branch wounds; vigorous epicormics.  |
| 694      | Apricot                 | 4,2,2,1              | 4                                  | Moderate | Multiple attachments at 3'; spreading form; vigorous epicormics. |
| 695      | Apricot                 | 4,3,2,2,1,1          | 4                                  | Moderate | Multiple attachments at 3'; spreading form; vigorous epicormics. |
| 696      | Apricot                 | 5,5,4,2,1,1          | 4                                  | Moderate | Multiple attachments at 3'; spreading form; vigorous epicormics. |
| 697      | Apricot                 | 2,2,2,1,1,1,1,1      | 3                                  | Moderate | Multiple attachments at 1'; low branching; vigorous epicormics.  |
| 698      | Apricot                 | 4,2,1,1,1            | 3                                  | Moderate | Multiple attachments at 2'; spreading form; vigorous epicormics. |



# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species                 | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments  |
|----------|-------------------------|----------------------|------------------------------------|---|
| 699      | Apricot                 | 4,4,3,3              | 3                                  | Moderate Multiple attachments at 2'; W. half of tree pruned; vigorous epicormics. |
| 700      | Apricot                 | 4,4,2,1,1            | 4                                  | Moderate Multiple attachments at 2'; spreading form; vigorous epicormics.         |
| 701      | Apricot                 | 5,4                  | 4                                  | Moderate Codominant trunks at 4'; open form.                                      |
| 702      | Apricot                 | 12,6                 | 3                                  | Moderate Large pruning wounds; trunk decay; mostly epicormics.                    |
| 703      | Apricot                 | 2,2,1,1,1,1          | 4                                  | Moderate Multiple attachments at 2'; one sided W.; vigorous epicormics.           |
| 704      | Apricot                 | 2,2,1,1,1,1          | 3                                  | Moderate Multiple attachments at 3'; some dieback; vigorous epicormics.           |
| 705      | Apricot                 | 7                    | 2                                  | Low Large trunk wound where stem failed; trunk decay.                             |
| 706      | Apricot                 | 10                   | 2                                  | Low Trunk wounds with decay; dieback in upper canopy.                             |
| 707      | Apricot                 | 5,4,3,3              | 4                                  | Moderate Multiple attachments at 1'; spreading form; vigorous epicormics.         |
| 708      | Apricot                 | 4,2,2                | 3                                  | Moderate Multiple attachments at 3'; open center; vigorous epicormics.            |
| 709      | Apricot                 | 2,1,1,1,1,1,1        | 4                                  | Moderate Multiple attachments at 2'; spreading form; vigorous epicormics.         |
| 710      | Apricot                 | 2,2,1,1,1,1,1        | 3                                  | Moderate Multiple attachments at 1'; open center; vigorous epicormics.            |
| 711      | Apricot                 | 1,1,1,1,1,1,1        | 4                                  | Moderate Multiple attachments at 2'; spreading form; vigorous epicormics.         |
| 712      | Apricot                 | 3,3,1                | 3                                  | Moderate Multiple attachments at 2'; open center; vigorous epicormics.            |
| 713      | Cherry                  | 3,2,2,2              | 4                                  | Moderate Multiple attachments at 3'; upright form.                                |
| 714      | Cherry                  | 4,3,2,2,1            | 3                                  | Moderate Multiple attachments at 2'; old topping points.                          |
| 715      | Apple                   | 3,2,2,2              | 2                                  | Low Multiple attachments at 2'; thin canopy.                                      |
| 716      | Coast live oak          | 13                   | 5                                  | High Good form and structure.   |
| 717      | Canary Island date palm | 33                   | 4                                  | High 25' of brown trunk; good form.   |
| 718      | Canary Island date palm | 34                   | 4                                  | Moderate 20' of brown trunk; trunk sweeps at 10'.                                 |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species                 | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments  |
|----------|-------------------------|----------------------|------------------------------------|---|
| 719      | Canary Island date palm | 29                   | 4                                  | High<br>35' of brown trunk; good form; bird nesting hole in trunk.                      |
| 720      | Coast live oak          | 22,12                | 3                                  | Moderate<br>Codominant trunks at base; embedded fence; good form.                       |
| 722      | Coast redwood           | 21                   | 3                                  | Low<br>One sided S.; dieback to 4".   |
| 723      | Coast redwood           | 28                   | 4                                  | Moderate<br>Good form; thinning crown.  |
| 724      | Coast redwood           | 11                   | 3                                  | Low<br>Suppressed; dieback.   |
| 725      | Coast redwood           | 53                   | 3                                  | Moderate<br>Codominant trunks at 8'; thin in upper canopy.                              |
| 726      | Coast redwood           | 41                   | 3                                  | Moderate<br>One sided N.; thin upper canopy.  |
| 727      | Coast redwood           | 19                   | 3                                  | Low<br>Suppressed; crown bowed E.   |
| 728      | Canary Island date palm | 40                   | 4                                  | Moderate<br>40' of brown trunk; trunk sweeps W.   |
| 729      | Canary Island date palm | 33                   | 5                                  | High<br>55' of brown trunk; good form and structure.                                    |
| 730      | Canary Island date palm | 26                   | 4                                  | Moderate<br>35' of brown trunk; suppressed beneath #729; slight lean E.                 |
| 731      | Guadalupe cypress       | 15                   | 5                                  | High<br>Good form and structure; engulfed in ivy.                                       |
| 733      | Glossy privet           | 6,4,4,4,3,2          | 3                                  | Moderate<br>Multiple attachments at base; narrow attachments; growing around guy wire.  |
| 734      | Almond                  | 8,7,3                | 2                                  | Low<br>Multiple attachments at base; dieback throughout crown.                          |
| 735      | Mexican fan palm        | 32                   | 3                                  | Moderate<br>40' of brown trunk; penciling at 18'; small crown.                          |
| 736      | Deodar cedar            | 28                   | 4                                  | Moderate<br>Strong central trunk; detached, hanging branch; one sided N.; twig dieback. |
| 737      | California pepper       | 16,15,14             | 3                                  | Low<br>Multiple attachments at base; decay in 16" stem; topped for overhead utilities.  |
| 738      | Cork oak                | 37,31,16             | 2                                  | Low<br>Multiple attachments at 4'; extensive dieback; epicormics.                       |
| 739      | Canary Island date palm | 17                   | 5                                  | High<br>No brown trunk yet; good young tree.  |
| 740      | Italian stone pine      | 24,23                | 4                                  | Moderate<br>Codominant stems at 4'; included bark; pruned for overhead utilities.       |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species                 | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments  |
|----------|-------------------------|----------------------|------------------------------------|---|
| 741      | Coast live oak          | 7,6                  | 4                                  | High<br>Codominant trunks at 3'; narrow attachment with seam & included bark.         |
| 742      | Coast live oak          | 7                    | 5                                  | High<br>Codominant trunks at 4'; good young tree.                                     |
| 743      | Mayten                  | 11                   | 3                                  | Moderate<br>Small crown; trunk wound S.; dieback.                                     |
| 745      | Giant sequoia           | 14                   | 3                                  | Moderate<br>Dieback of 40% of branches.   |
| 746      | Olive                   | 15                   | 3                                  | Moderate<br>Large sun scald wound N.; dieback in upper crown.                         |
| 747      | Kohuhu                  | 1,1,1,1,1,1,1,1      | 3                                  | Moderate<br>Topped hard at 3'; sprouted new canopy.                                   |
| 748      | Canary Island date palm | 30                   | 4                                  | High<br>35' of brown trunk; good form and structure.                                  |
| 749      | Canary Island date palm | 35                   | 5                                  | High<br>4' of brown trunk; good young tree but under overhead utilities.              |
| 750      | Canary Island date palm | 30                   | 5                                  | High<br>40' of brown trunk; good form; fig growing in pineapple.                      |
| 751      | Chinese photinia        | 13,12                | 3                                  | Moderate<br>Codominant trunks at base; moderate dieback ; beneath overhead utilities. |
| 752      | Glossy privet           | 15,14,12,5           | 2                                  | Low<br>Multiple attachments at 1'; narrow attachments; very thin in upper canopy.     |
| 753      | Deodar cedar            | 7                    | 4                                  | Moderate<br>Good young tree; close to overhead utilities.                             |
| 754      | Windmill palm           | 12                   | 4                                  | High<br>Multiple attachments at base; nice little group.                              |
| 755      | Apricot                 | 2,2,1,1              | 3                                  | Moderate<br>Multiple attachments at 1'; open center; vigorous epicormics.             |
| 756      | Apricot                 | 3,2,1,1              | 4                                  | Moderate<br>Multiple attachments at 1'; spreading form; vigorous epicormics.          |
| 757      | Apricot                 | 2,2,1,1              | 3                                  | Moderate<br>Multiple attachments at 4'; spreading form.                               |
| 758      | Cherry                  | 1,1,1,1              | 4                                  | Moderate<br>Multiple attachments at 3'; good form.                                    |
| 759      | Cherry                  | 1,1,1,1              | 3                                  | Moderate<br>Multiple attachments at 4'; small crown.                                  |
| 760      | Apple                   | 5,4,4,3              | 1                                  | Low<br>All but dead.  |
| 761      | Cherry                  | 2,2,1,1,1,1          | 4                                  | Moderate<br>Multiple attachments at 4'; good form.                                    |
| 762      | Cherry                  | 2,2,1,1,1,1          | 4                                  | Moderate<br>Multiple attachments at 4'; good form.                                    |

# Tree Assessment

California Nursery  
Fremont, CA  
April 2014



| Tree No. | Species                | Trunk Diameter (in.) | Condition<br>1=poor<br>5=excellent | Comments   |
|----------|------------------------|----------------------|------------------------------------|--|
| 763      | Cherry                 | 1,1,1,1              | 4                                  | Moderate Multiple attachments at 4'; good form.                      |
| 764      | Cherry                 | 2,1,1,1,1            | 3                                  | Moderate Multiple attachments at 4'; small crown.                    |
| 765      | Cherry                 | 2,1,1,1              | 2                                  | Low Mostly dead.   |
| 766      | Cherry                 | 4                    | 3                                  | Moderate Small crown.  |
| 767      | Cherry                 | 2,2,1,1              | 3                                  | Moderate Dieback but epicormics.                                     |
| 768      | Nectarine              | 4,2,2,1              | 4                                  | Moderate Multiple attachments at 2'.                                 |
| 769      | Nectarine              | 3,2,2,1              | 4                                  | Moderate Multiple attachments at 2'; good form.                      |
| 770      | Apricot                | 2,2,1,1              | 4                                  | Moderate Multiple attachments at 1'; good form.                      |
| 771      | Apricot                | 4,3,2,3,1,1          | 4                                  | Moderate Multiple attachments at 4'; open center.                    |
| 772      | Apricot                | 5,3,2                | 4                                  | Moderate Multiple attachments at 4'; spreading form.                 |
| 773      | Apricot                | 3,2,2,1              | 3                                  | Moderate Multiple attachments at 2'; one sided W.                    |
| 774      | Apricot                | 3,3,2,1,1            | 3                                  | Moderate Multiple attachments at 4'; one sided E.                    |
| 775      | Apricot                | 3,3,2,1,1,1          | 3                                  | Moderate Multiple attachments at 3'; small crown.                    |
| 776      | Apricot                | 6                    | 4                                  | Moderate Multiple attachments at 4'; good form.                      |
| 777      | Apricot                | 3,2,2                | 3                                  | Moderate Multiple attachments at 3'; small crown.                    |
| 778      | Apricot                | 3,3,3,1              | 3                                  | Moderate Multiple attachments at 3'; small crown.                    |
| 779      | Apricot                | 2,2,1,1,1            | 2                                  | Low Multiple attachments at 1'; small crown.                         |
| 780      | Apricot                | 14                   | 1                                  | Low All but dead.  |
| 781      | Apricot                | 2,1,1,1,1            | 4                                  | Moderate Multiple attachments at 3'; spreading form.                 |
| 782      | Apricot                | 2,1,1,1,1            | 3                                  | Moderate Multiple attachments at 3'; thin crown.                     |
| 797      | Plum                   | 3,3,3,3,2,2,2        | 3                                  | Low Multiple stems from base; many sprouts.                          |
| 196A     | Mediterranean fan palm | clump                | 4                                  | High No tag; large clump of many stems; 8' tall.                     |
| 445A     | Carob                  | 6,4,4,4,4            | 3                                  | Low No tag; probably a stump sprout; sapsucker damage; shrubby form. |