



Residential Retrofit  
Window and Door  
Like-for-Like Only

**BUILDING & SAFETY DIVISION | PLANS AND PERMITS**  
Development Services Center  
39550 Liberty St., Fremont, CA 94538  
510.494.4460 | [bldinfo@fremont.gov](mailto:bldinfo@fremont.gov) | [fremont.gov](http://fremont.gov)

**Project Notes:**

**Assessor's Parcel Number:**

**Name of Owner:**

**Contact Person:**

**Phone:**

**Project Address:**

**Scope of Work:**

**Applicable Codes:** 2022 California Residential Code (CRC); 2022 California Energy Code (CEnerC)

**Code Requirements and Notes:**

- A maximum U-factor of 0.30
- A maximum Solar Heat Gain Coefficient (SHGC) of 0.23; therefore, window stickers should stay adhered to product for verification by field inspector
- Windows located in the WUI district require tempered glazing
- No wall alterations are permitted under this record type`
- Windows must be installed per manufacturer's requirements

**Recommended Abbreviations:**

- N = Replacement of new window or door
- E = Existing window or door with no modification
- D/C = Direction change of window or door opening

**Floor where work will take place (e.g., first floor, second floor):**

**EXISTING FLOOR PLAN**

**PROPOSED FLOOR PLAN**