### **ELEVATION CERTIFICATE**

# FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

'ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to rovide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

	SECTION A PRO	PERTY INFO	RMATION	-	FOR INSURANCE COMPANY USE	
BUILDING OWNER'S NAME TONY TAM					POLICY NUMBER	
STREET ADDRESS (Including Apt 33944 JULIET C		COMPANY NAIC NUMBER				
OTHER DESCRIPTION (Lot and E Lot 165 of Tract 4316, Bk		thru 78 Alam	neda County Records			
CITY			ieda Codiny Necordo	STATE	ZIP CODE	
Fremont				CA	94555	
-			NCE RATE MAP (FIRM)	INFORMATION		
Provide the following from the	ne proper FIRM (See	Instructions):				
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)	
065028	0004	В	July 16, 1987	В	14.5	
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: Light High feet NGVD (or other FIRM datum—see Section B, Item 7).						
	SECTION	ON C BUILDI	NG ELEVATION INFORM	IATION		
of 17.3 fee  (b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without below (check one)  (d). FIRM Zone AO. The one) the highest gradelevel) elevated in accordance Comments on Pathe FIRM [see Section equation under Comments)	et NGVD (or other FIF VE, and V (with BFE) is at an elevation of BFE). The floor used the highest grade at floor used as the reference adjacent to the build ordance with the computum system used in a time system used in a time system used in a ge 2). (NOTE: If the B, Item 7], then convents on Page 2.)	RM datum—see  ). The bottom  d as the refere djacent to the berence level froding. If no flood munity's floodp determining the elevation datu ert the elevation	Section B, Item 7). * of the lowest horizontal struction of the lowest horizontal struction of the NGVD (or other FIF) ince level from the selected diagram is discontinuous diagram is available of the lowest of the datum system under the lowest of the datum system under the lowest of the lowest	ructural member and datum—see Stand diagram is detected by the second of the FIRITED and the F	above or below (check g's lowest floor (reference) No Unknown	
<ul> <li>4. Elevation reference mark used appears on FIRM: Yes X No (See Instructions on Page 4)</li> <li>5. The reference level elevation is based on: X actual construction construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)</li> </ul>						
6. The elevation of the lowest grade immediately adjacent to the building is: 1 6 6 feet NGVD (or other FIRM datum-see Section B, Item 7).  *Based on "as built" pad elevations taken 7/1/81						
SECTION D COMMUNITY INFORMATION						
<ol> <li>If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is:  feet NGVD (or other FIRM datum—see Section B, Item 7).</li> <li>Date of the start of construction or substantial improvement</li> </ol>						

#### SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the editarial labels I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code Section 1001!

CERTIFIER'S NAME Bob Chan LICENSE NUMBER (or Affix Seal

LS5412

TITLE

COMPANY NAME

Ar. J

Operations Manager

MacKay & Somps Civil Engineers, Inc.

ZIP 94588

SIGNATURE

Pleasanton

DATE 12/21/98


PHONE (925) 225-0690

Copies should be made of this

5142 Franklin Drive, Suite B

Scertificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

benchmarks. The National Geodetic Survey benchmarks were derived from the National Geodetic Vertical Datum of 1929 (NGVD), therefore, no conversation is necessary.



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

## FEDERAL EMERGENCY MANAGEMENT AGENCY ELEVATION INFORMATION

O.M.B. Burden No. 3067-0147 Expires July 31, 1997 FEMA USE ONLY

### PUBLIC BURDEN DISCLOSURE NOTICE

Public reporting burden for this form is estimated to average .63 hour per response. The burden estimate includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the needed data, and completing and reviewing the form. Send comments regarding the accuracy of the burden estimate and any suggestions for reducing this burden, to: Information Collections Management, Federal Emergency Management Agency, 500 C Street, S.W., Washington, DC 20472: and to the Office of Management and Budget, Paperwork Reduction Project (3067-0147), Washington, DC 20503.

This form must be completed by a licensed land surveyor or registered professional engineer. These forms should not be used for requests involving Channelization, Bridges/Culverts, or Fill in the FEMA-Designated Floodway. Forms entitled Revisions to National Flood Insurance Program Maps (MT-2) should be used. The Elevation Information Form must be included for all request, unless the request is for a determination in which the FIRM already shows the property to be CLEARLY outside the SFHA. Cases in which the determination for the property or structure is uncertain will require the submittal of elevation data to provide a definitive determination. If an elevation certificate has been completed for the subject property it may be submitted in lieu of this form.

(See page 7 of instructions for details)							
1.	Community Name: Fremont, California						
2.	Legal Description of Property: Lot 165 of Tract 4316, Bk 129 Maps Page 72 thru 78 Alameda County Records						
3.	Flooding Source:ALAMEDACOUNTY FLOOD CONTROL CHANNEL (LINE K, ZONE 5)						
4.	Based on the FIRM, this property is located in Zone(s) B						
5.	Is any portion of this property located in the regulatory floodway?						
6.	Is this area subject to land subsidence or uplift?						
7.	What is the BFE for this property? ( <i>Provide elevation to nearest tenth of a foot and datum</i> )*						
	14.5 Elevation NGVD 1929 Datum						
8.	How was the BFE determined? (attach a copy of the Flood Profile or table from the FIS report, if appropriate, or other necessary supporting information including Form 3 and 4 from forms entitled, "Revisions to National Flood Insurance Program Maps" (MT-2)).						
	BFE of elevation 14.5 was determined from flood insurance rate map 065028 0004 B effective date May 2, 1983						
9.	If a flood profile for the 500-year flood was provided in the FIS Report, what is the 500-year flood elevation for this property? N/A Elevation N/A Datum						
10.	If this request is to remove the SFHA designation from a parcel of land or lot(s), what is the existing or proposed elevation of the lowest grade; that is, the lowest ground on the property? (Provide elevation to nearest tenth of a foot						

and datum)\* 15.1

Elevation NGVD 1929

lowest adjacent gra	ade; that is, the lowest g		s the elevation of the existing or proposed rovide elevation to nearest tenth of a foot Elevation Datum
the lowest floor, i	including basement and	e structure(s) on this property, whd/or attached garage? (Provide	nat is the existing or proposed elevation of elevation to nearest tenth of a foot and Elevation Datum
		mputed based on a datum diffe Patum +/- <u>N/A</u>	rent than the effective FIS, what is the _ Feet
Breakdown form, idea (certified by a licensed	ntifying the elevation for surveyor or registered	or each lot/structure. To suppor	Summary of Elevations-Individual Lot rt item 9, 10, and 11, please note a map quired to relate the ground elevations and uilt" or "proposed" conditions.
			of my knowledge. I understand that any f the United States Code, Section 1001.
Name:	Bob Chan	(please print or	type)
Title:	Operations Manager	(please print or	type)
Registration No	LS5412	Expiration Date _	9/30/00
State	California		
Telephone Number: _	(925) 225-0690	1	No.5412
	Signature 12 (21 (22		- (* EXP. 9-30W)*
	12/21/98 Date	# <u> </u>	Seal (Optional)